

This Booklet contains **24** pages.



Do not open this Test Booklet until you are asked to do so.

Read carefully the Instructions on the Back Cover of this Test Booklet.

Important Instructions :


ACHLA/DD/Page 1


- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on **Side-1** and **Side-2** carefully with **blue/black** ball point pen only.
- 2. The test is of **3 hours** duration and this Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one mark** will be deducted from the total scores. The maximum marks are 720.
- 3. Use **Blue/Black Ball Point Pen only** for writing particulars on this page/marking responses.
- 4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 5. On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is **DD**. Make sure that the CODE printed on **Side-2** of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 8. Use of white fluid for correction is *not* permissible on the Answer Sheet.


Name of the Candidate (in Capitals) :	
Roll Number : in figures	
: in words	
Centre of Examination (in Capitals) :	
Candidate's Signature :	Invigilator's Signature :
Facsimile signature stamp of	
Centre Superintendent :	


Enalish

- 1. A carbon resistor of $(47 \pm 4.7) \text{ k}\Omega$ is to be marked with rings of different colours for its identification. The colour code sequence will be
 - $(1) \quad Violet-\ Yellow-\ Orange-\ Silver$
 - $(2) \quad Yellow-\ Violet-Orange-Silver$
 - (3) Yellow Green Violet Gold
 - $(4) \quad Green-\ Orange-\ Violet-\ Gold$
- 2. A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?









- 3. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
 - (1) 10
 - (2) 11
 - (3) 20
 - (4) 9

- An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
 - (1) smaller
 - (2) 5 times greater
 - (3) 10 times greater
 - (4) equal
- 5. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
 - (1) 330 m/s
 - (2) 339 m/s
 - (3) 350 m/s
 - (4) 300 m/s
- 6. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s^2 at a distance of 5 m from the mean position. The time period of oscillation is
 - (1) $2\pi s$
 - (2) πs
 - (3) 2 s
 - (4) 1 s
 - The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is
 - (1) independent of the distance between the plates.
 - (2) linearly proportional to the distance between the plates.
 - (3) proportional to the square root of the distance between the plates.
 - (4) inversely proportional to the distance between the plates.

8. An electron of mass m with an initial velocity $\overrightarrow{V} = V_0 \stackrel{\land}{i} (V_0 > 0)$ enters an electric field $\overrightarrow{E} = -E_0 \stackrel{\land}{i} (E_0 = \text{constant} > 0)$ at t = 0. If λ_0 is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is

(1)
$$\frac{\lambda_0}{\left(1 + \frac{eE_0}{mV_0}t\right)}$$

(2)
$$\lambda_0 \left(1 + \frac{eE_0}{mV_0}t\right)$$


(3)
$$\lambda_0 t$$

(4)
$$\lambda_0$$


- **9.** When the light of frequency $2v_0$ (where v_0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v_1 . When the frequency of the incident radiation is increased to $5v_0$, the maximum velocity of electrons emitted from the same plate is v_2 . The ratio of v_1 to v_2 is
 - (1) 1:2
 - (2) 1:4
 - (3) 4:1
 - (4) 2:1
- 10. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
 - (1) 20
 - (2) 10
 - (3) 30
 - (4) 15
- **11.** The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is
 - (1) 1:1
 - (2) 1:-1
 - $(3) \quad 2:-1$

1:-2

In the circuit shown in the figure, the input voltage V_i is 20 V, $V_{BE} = 0$ and $V_{CE} = 0$. The values of I_B , I_C and β are given by




- (1) $I_B = 40 \ \mu A, \ I_C = 10 \ mA, \ \beta = 250$
- (2) $I_B = 25 \ \mu A, \ I_C = 5 \ mA, \ \beta = 200$
- (3) $I_B = 20 \ \mu A, \ I_C = 5 \ mA, \ \beta = 250$
- (4) $I_B = 40 \ \mu A, \ I_C = 5 \ mA, \ \beta = 125$
- In the combination of the following gates the output Y can be written in terms of inputs A and B as



- (1) $\overline{\mathbf{A} \cdot \mathbf{B}}$
- (2) A. \overline{B} + \overline{A} . B
- (3) $\overline{\mathbf{A} \cdot \mathbf{B}} + \mathbf{A} \cdot \mathbf{B}$
- (4) $\overline{A+B}$
- 14. In a p-n junction diode, change in temperature due to heating
 - (1) affects only reverse resistance
 - (2) affects only forward resistance
 - (3) does not affect resistance of p-n junction
 - (4) affects the overall V I characteristics of p-n junction

(4)


15. A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to



- 16. Three objects, A : (a solid sphere), B : (a thin circular disk) and C : (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed ω about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation
 - (1) $W_C > W_B > W_A$
 - (2) $W_A > W_B > W_C$
 - $(3) \quad W_{\rm B} > W_{\rm A} > W_{\rm C}$
 - $(4) \quad \mathrm{W}_\mathrm{A} > \mathrm{W}_\mathrm{C} > \mathrm{W}_\mathrm{B}$
- 17. A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be
 - $(1) \quad 0.5$
 - $(2) \quad 0.25$
 - (3) **0**·8
 - (4) 0.4
- **18.** Which one of the following statements is *incorrect* ?
 - (1) Rolling friction is smaller than sliding friction.
 - (2) Limiting value of static friction is directly proportional to normal reaction.
 - $(3) \quad \ \ {\rm Frictional\ force\ opposes\ the\ relative\ motion.}$
 - (4) Coefficient of sliding friction has dimensions of length.


The moment of the force, $\overrightarrow{F} = 4\hat{i} + 5\hat{j} - 6\hat{k}$ at (2, 0, -3), about the point (2, -2, -2), is given by (1) $-8\hat{i} - 4\hat{j} - 7\hat{k}$

- (2) $-4\hat{i} \hat{j} 8\hat{k}$ (3) $-7\hat{i} - 8\hat{j} - 4\hat{k}$ (4) $-7\hat{i} - 4\hat{j} - 8\hat{k}$
- 20. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field \vec{E} . Due to the force q \vec{E} , its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
 - (1) 2 m/s, 4 m/s
 - (2) 1 m/s, 3 m/s
 - (3) 1 m/s, 3.5 m/s
 - (4) 1.5 m/s, 3 m/s
- 21. A student measured the diameter of a small steel ball using a screw gauge of least count 0.001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of -0.004 cm, the correct diameter of the ball is
 - (1) 0.521 cm
 - (2) 0.525 cm
 - (3) 0.053 cm
 - (4) 0.529 cm
 - A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and θ for the block to remain stationary on the wedge is



(4) $a = g \tan \theta$

23. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is



- 24. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is
 - $(1) \quad 13{\cdot}2\ cm$
 - (2) 8 cm
 - (3) 12.5 cm
 - (4) 16 cm
- **25.** At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere ? (Given :

Mass of oxygen molecule (m) = 2.76×10^{-26} kg Boltzmann's constant k_B = 1.38×10^{-23} J K⁻¹)

- $(1) \quad 2{\cdot}508 \times 10^4 \; \mathrm{K}$
- $(2) \quad 8{\cdot}360\times 10^4 \ {\rm K}$
- (3) $5.016 \times 10^4 \text{ K}$
- $(4) \quad 1{\cdot}254\times 10^4 \ \mathrm{K}$
- **26.** The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
 - (1) 26.8%
 - (2) 20%
 - (3) 6.25%
 - (4) 12.5%

- Unpolarised light is incident from air on a plane surface of a material of refractive index ' μ '. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation ?
 - (1) Reflected light is polarised with its electric vector parallel to the plane of incidence
 - (2) Reflected light is polarised with its electric vector perpendicular to the plane of incidence
 - (3) $i = \sin^{-1}\left(\frac{1}{\mu}\right)$
 - (4) $i = \tan^{-1}\left(\frac{1}{\mu}\right)$
- 28. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength λ of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0.20°. To increase the fringe angular width to 0.21° (with same λ and D) the separation between the slits needs to be changed to
 - (1) 1·8 mm
 - (2) **1.9** mm
 - $(3) \quad 2{\cdot}1 \text{ mm}$
 - (4) 1·7 mm
- **29.** An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
 - (1) small focal length and large diameter
 - $(2) \quad \ \ {\rm large \ focal \ length \ and \ small \ diameter}$
 - (3) large focal length and large diameter
 - (4) small focal length and small diameter

- 30. An em wave is propagating in a medium with a velocity \$\vec{V}\$ = V\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along
 - (1) z direction
 - (2) + z direction
 - (3) y direction
 - (4) -x direction
- **31.** The refractive index of the material of a prism is $\sqrt{2}$ and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is
 - (1) 60°
 - (2) 45°
 - (3) 30°
 - (4) zero
- **32.** An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
 - (1) 30 cm away from the mirror
 - (2) 36 cm away from the mirror
 - (3) 30 cm towards the mirror
 - (4) 36 cm towards the mirror
- **33.** The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
 - (1) 0.138 H
 - $(2) \quad 138{\cdot}88 \ H$
 - $(3) \quad 1{\cdot}389 \ H$
 - $(4) \quad 13{\cdot}89 \ H$

Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is

- 40 Ω
- $(2) \quad 25 \ \Omega$
- $(3) \quad 250 \ \Omega$
- $(4) \quad 500 \; \Omega$


35.

- A metallic rod of mass per unit length 0.5 kg m^{-1} is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
 - (1) 7·14 A
 - $(2) \quad 5{\cdot}98 \; A$
 - (3) 14·76 A
 - (4) 11.32 A
- 36. An inductor 20 mH, a capacitor 100 μ F and a resistor 50 Ω are connected in series across a source of emf, V = 10 sin 314 t. The power loss in the circuit is
 - $(1) \quad 0{\cdot}79 \; W$
 - $(2) \quad 0.43 \text{ W}$
 - $(3) \quad 2{\cdot}74 \; W$
 - (4) 1.13 W
- **37.** A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from
 - (1) the current source
 - (2) the magnetic field
 - (3) the lattice structure of the material of the rod
 - (4) the induced electric field due to the changing magnetic field

38. A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to

- (1) r^3
- (2) r^2
- (3) r^5
- (4) r^4
- **39.** The power radiated by a black body is P and it radiates maximum energy at wavelength, λ_0 . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength $\frac{3}{4}\lambda_0$, the power radiated by it becomes nP. The value of n is
 - (1) $\frac{3}{4}$
 - (2) $\frac{4}{-}$
 - 256
 - (3) $\frac{250}{81}$
 - $(4) \quad \frac{81}{256}$
- 40. A sample of 0.1 g of water at 100°C and normal pressure $(1.013 \times 10^5 \text{ Nm}^{-2})$ requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167.1 cc, the change in internal energy of the sample, is
 - (1) 104·3 J
 - (2) 208.7 J
 - (3) $42 \cdot 2 J$
 - (4) 84.5 J
- 41. Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by Δl on applying a force F, how much force is needed to stretch the second wire by the same amount ?
 - (1) 9 F
 - (2) 6 F
 - (3) 4 F
 - (4) F

- A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere ?
 - (1) Angular velocity
 - (2) Moment of inertia
 - (3) Rotational kinetic energy
 - (4) Angular momentum
- The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are K_A , K_B and K_C , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then



- (1) $K_A < K_B < K_C$
- $(2) \quad \mathbf{K}_{\mathbf{A}} > \mathbf{K}_{\mathbf{B}} > \mathbf{K}_{\mathbf{C}}$
- (3) $K_B < K_A < K_C$
- $(4) \quad \mathbf{K}_{\mathbf{B}} > \mathbf{K}_{\mathbf{A}} > \mathbf{K}_{\mathbf{C}}$
- 44. A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy (K_t) as well as rotational kinetic energy (K_r) simultaneously. The ratio K_t : ($K_t + K_r$) for the sphere is
 - (1) 7:10
 - (2) 5:7
 - (3) 10:7
 - (4) 2:5
- **45.** If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is *not* correct ?
 - (1) Raindrops will fall faster.
 - (2) Walking on the ground would become more difficult.
 - (3) Time period of a simple pendulum on the Earth would decrease.
 - (4) 'g' on the Earth will not change.

46.		ch of the following is an amino acid derived	50.	
	horr	none ?		(1) using flagella for locomotion
	(1)	Epinephrine		(2) having a contractile vacuole for removing excess water
	(2)	Ecdysone		(3) using pseudopodia for capturing prey
	(3)	Estradiol		(4) having two types of nuclei
	(4)	Estriol	51.	Identify the vertebrate group of animals characterized by crop and gizzard in its digestive system.
47.		ch of the following structures or regions is		(1) Amphibia
	inco	prrectly paired with its function ?		(2) Reptilia
	(1)	Medulla oblongata : controls respiration		(3) Aves
		and cardiovascular reflexes.		(4) Osteichthyes
	(0)			
	(2)	Limbic system : consists of fibre tracts that	52.	Which of the following organisms are known as chief producers in the oceans ?
	interconnect different regions of		(1) Dinoflagellates	
		brain; controls		(2) Diatoms
		movement.		(3) Cyanobacteria
	(3)	Hypothalamus : production of		(4) Euglenoids
		releasing hormones and regulation of temperature,	53.	Which one of these animals is not a homeotherm ?
		hunger and thirst.		(1) Macropus
	(4)	Corpus callosum : band of fibers connecting left and		(2) Chelone
		right cerebral		(3) Camelus
		hemispheres.		(4) Psittacula
48.		transparent lens in the human eye is held in lace by	54.	Which of the following animals does <i>not</i> undergo metamorphosis ?
	(1)	ligaments attached to the ciliary body		(1) Earthworm
	(2)	ligaments attached to the iris		(2) Tunicate
	(3)	smooth muscles attached to the iris		(3) Moth
	(4)	smooth muscles attached to the ciliary body		(4) Starfish
49.		ch of the following hormones can play a ificant role in osteoporosis ?	55.	Which of the following features is used to identify a male cockroach from a female cockroach ?
	(1)	Aldosterone and Prolactin		(1) Presence of a boat shaped sternum on the
				$9^{ m th}$ abdominal segment
	(2)	Progesterone and Aldosterone		(2) Presence of caudal styles
	(3)	Estrogen and Parathyroid hormone		(3) Forewings with darker tegmina
	(4)	Parathyroid hormone and Prolactin		(4) Presence of anal cerci

56.		ractio	ns is w		ed in m	ring pop edical scie	ulation nce for	61.	Horr preg	
		-		antibiot	tics?					
	(1)		mensal	ism					(1)	h
	(2)		ualism						(2)	h
	(3)		sitism						(3)	h
	(4)	Ame	nsalisn	1					(4)	h
57.	All	of th	e follo	wing ar	e inclu	uded in '	Ex-situ		(1)	g
	cons	servat	ion' exce	ept						0
	(1)	Wild	life saf	ari park	s			62.	The	CO1
	(2)		ed grov					02.	(1)	b
	(3)		nical g	ardens					(1)	
	(4)	Seed	l banks						(0)	р
58.	Mat	ch the	e items	given in	Colum	n I with t	hose in		(2)	1r
		ımn I		-		ect option			(3)	p: is
		Colu	mn I		C c	lumn II			(4)	is
	a.	Eutr	ophicat	tion	i. UV	-B radiatio	on			
	b.	Sani	tary la	ndfill	ii. Def	orestation		63.	The	aı
	c.	Snov	v blindı	ness	iii. Nu	trient			from	ı
					enr	ichment			(1)	e
	d.	Jhur	n cultiv	ation	iv. Wa	ste disposa	al		(2)	eı
		a	b	С	d				(3)	m
	(1)	ii	i	iii	iv				(4)	
	(2)	i	iii	iv	ii				(4)	e
	(3)	iii	iv	i	ii			64.	7 11	.1
	(4)	i	ii	iv	iii			64.	The	d
59.	In a	grow	ing pop	ulation	of a cou	ntrv.			sper	
		-				ls are moi	e than		(1)	Iı
	(1)			ctive ind			e man			w
	(2)	repr	oductiv	e indivi	duals a	re less th	an the			fc
		-		uctive in					(2)	Iı
	(3)	repr	oductiv	e ai	nd	pre-repro	ductive			w
		indiv	viduals	are equa	al in nu	mber.				fc
	(4)	-	-			ls are les	s than		(3)	Iı
		the r	reprodu	ctive ind	lividual	.s.				ce
60.		ch par g "Sma		oppy pla	nt is us	sed to obta	ain the			se sj
	(1)	Flow	vers						(4)	Iı
	(2)	Late	x						(-)	w
	(3)	Root	S							re
		_								

- Hormones secreted by the placenta to maintain pregnancy are
 - (1) hCG, hPL, progestogens, prolactin
 - (2) hCG, hPL, estrogens, relaxin, oxytocin
 - (3) hCG, hPL, progestogens, estrogens
 - (4) hCG, progestogens, estrogens, glucocorticoids
- 62. The contraceptive 'SAHELI'
 - (1) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
 - (2) increases the concentration of estrogen and prevents ovulation in females.
 - (3) is an IUD.
 - (4) is a post-coital contraceptive.
- **63.** The amnion of mammalian embryo is derived from
 - (1) ectoderm and mesoderm
 - (2) endoderm and mesoderm
 - (3) mesoderm and trophoblast
 - (4) ectoderm and endoderm
- **64.** The difference between spermiogenesis and spermiation is
 - (1) In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
 - (2) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.
 - (3) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
 - (4) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.

Leaves

(4)

65.	emp	resents hysem	the lu a, respe	ectively	nditio ?	options correctly ns in asthma and	68.		umn II	-			lumn I with those in <i>orrect</i> option given
	(1)		mmation ratory s		bron	chioles; Decreased			Colu	mn I		Co	lumn II
	(2)	respi	ratory s	urface		onchioles; Increased		a.	Glyco	osuria	i.		umulation of uric in joints
	(3) (4)	Incre Infla Decre	mmatio	respira n of bro respir	onchi	oles		b.	Gout		ii.		s of crystallised s within the kidney
	(1)		mmatio					c.	Rena	l calculi	iii.		ammation in
66.			-			umn I with those in						-	neruli
	belo		l and se	elect th	ie <i>co</i>	orrect option given		d.	Glom neph	erular ritis	iv.	Pres urin	sence of glucose in
		Colui				Column II			a	b	с	d	
	a.	Tricu	spid val	ve i		Between left atrium nd left ventricle		(1)	a iii	ii	iv	i	
	b.	Bicus	spid valv	ve i	-	Between right		(2)	i	ii	iii	i	
			-			entricle and		(3)	ii	iii	i	i	V
	c.	Semi	lunar va	alvo i	-	oulmonary artery		(4)	iv	i	ii	i	ii
	ι.	Jeim	iunai va	arve r	a	Between right atrium and right ventricle 69.		0					
		a	b	С				Column II and select the <i>correct</i> option below :					orrect option given
	(1)	iii	i 	ii 				Dere	Colui	mn I			Column II
	(2) (3)	i i	iii ii	ii iii					(Fund				(Part of Excretory
	(4)	ii	i	iii						-			System)
67.	Mat	ch the	items o	iven in	Colı	ımn I with those in		a.	Ultra	filtratio	n	i.	Henle's loop
		ımn Il	-			prrect option given		b.	Conc of uri	entratio ine	n	ii.	Ureter
		Colui				Column II		c.	Tran	sport of		iii.	Urinary bladder
	a.		volume		i				urine	•			
	b.	Inspi volur	ratory F ne	Reserve		i. 1100 – 1200 mL		d.	Stora	ige of ur	ine	iv.	Malpighian corpuscle
	c.	Expir volur	ratory R ne	eserve	i	ii. 500 – 550 mL						v.	Proximal convoluted tubule
	d.	Resid	lual volu	ıme	i	v. 1000 – 1100 mL			a	b	с	d	l
		a	b	С	d			(1)	iv	v	ii		ii
	(1)	iii 	ii	i	iv 			(2)	iv	i	ii		ii
	(2)	iii :	i 	iv ::	ii :			(3)	v	iv	i	i	
	(3) (4)	i iv	iv iii	ii ii	iii i			(4)	v	iv	i		ii
	(4)	11		11	1			(1)	•		-	1.	

70.		ch of the following events does <i>not</i> occur in gh endoplasmic reticulum ?	76.				ıg are pa	art o	f an operon <i>except</i>
	(1)	Protein folding		(1)		perator			
	(2)	Protein glycosylation		(2)		ctural g			
	(3)	Cleavage of signal peptide		(3)		nhance	r		
	(4)	Phospholipid synthesis		(4)	a pr	omoter			
			77.				-		lumn I with those in
71.		ch of these statements is <i>incorrect</i> ?				I and a	select th	ne <i>c</i>	orrect option given
	(1)	Enzymes of TCA cycle are present in mitochondrial matrix.		belo		7			
	(2)	Glycolysis occurs in cytosol.				umn I	D1		Column II
	(3)	Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.		a.	Prol	iferativ	e Phase	1.	Breakdown of endometrial lining
	(4)	Oxidative phosphorylation takes place in		b.	Secr	etory P	hase	ii.	Follicular Phase
		outer mitochondrial membrane.		c.		struatio		iii.	Luteal Phase
72.	Niss	sl bodies are mainly composed of			a	b	С		
	(1)	Proteins and lipids		(1)	iii	ii	i		
	(2)	DNA and RNA							
	(3)	Nucleic acids and SER		(2)	i 	iii 	ii		
	(4)	Free ribosomes and RER		(3)	ii	iii	i		
73.	Whi	ch of the following terms describe human		(4)	iii	i	ii		
	den	tition ?	78.		-		go de V	ries	, the mechanism of
	(1)	Thecodont, Diphyodont, Homodont		evol	lution	is			
	(2)	Thecodont, Diphyodont, Heterodont		(1)		-	ep mutat	tions	5
	(3)	Pleurodont, Monophyodont, Homodont		(2)		ation			
	(4)	Pleurodont, Diphyodont, Heterodont		(3)			variatio	ns	
74.	Sele	ect the <i>incorrect</i> match :		(4)	Min	or muta	tions		
	(1)	Lampbrush – Diplotene bivalents	79.						ndition on one of her
	(\mathbf{O})	chromosomes					. This	ch	romosome can be
	(2)	Allosomes – Sex chromosomes			erited	·			
	(3)	Submetacentric – L-shaped chromososmes chromosomes		(1)	·	/ daugh	ters		
	(4)	Polytene – Oocytes of amphibians		(2) (3)	·	/ sons	- h : 1 d		
		chromosomes		(3) (4)	-	-	children nd daug		10
75.	Mar	ny ribosomes may associate with a single							
		NA to form multiple copies of a polypeptide	80.					-	nce from the coding
		ultaneously. Such strings of ribosomes are ned as				0	What w ranscrib		be the corresponding
	(1)	Polysome		(1)		UAUC		eu n	
	(2)	Polyhedral bodies		(1) (2)		GTUTC(
	(3)	Plastidome		(2)		UAUG			
	(4)	Nucleosome		(4)		CAUAG			
	·-/			(4)	000	JAUAU	JUUA		

81.	Whi	ch of the following gastric cells indirectly	85.	Which of the following is not an autoimmune
		o in erythropoiesis ?		disease ?
	(1)	Chief cells		 Psoriasis Rheumatoid arthritis
	(2)	Mucous cells		(2) Alzheimer's disease
				(4) Vitiligo
	(3)	Goblet cells	00	
	(4)	Parietal cells	86.	Among the following sets of examples for divergent evolution, select the <i>incorrect</i> option :
82.	Mat	ch the items given in Column I with those in		(1) Forelimbs of man, bat and cheetah
		umn II and select the <i>correct</i> option given		(2) Heart of bat, man and cheetah
	belo			(3) Brain of bat, man and cheetah
		Column I Column II		(4) Eye of octopus, bat and man
	a.	Fibrinogen i. Osmotic balance	87.	Conversion of milk to curd improves its nutritional value by increasing the amount of
	b.	Globulin ii. Blood clotting		(1) Vitamin D
	c.	Albumin iii. Defence mechanism		(2) Vitamin A
		_		(3) Vitamin B ₁₂
	(a b c		(4) Vitamin E
	(1)	iii ii i	88.	In which disease does mosquito transmitted
	(2)	i ii iii		pathogen cause chronic inflammation of
	(3)	i iii ii		lymphatic vessels ?
	(4)	ii iii i		(1) Elephantiasis
83.	Whi	ch of the following is an occupational		(2) Ascariasis(3) Ringworm disease
		viratory disorder ?		(4) Amoebiasis
	(1)	Anthracis	89.	The similarity of bone structure in the forelimbs
	(2)	Silicosis		of many vertebrates is an example of
	(3)	Botulism		(1) Homology
	(4)	Emphysema		(2) Analogy
	(4)	Emphysema		(3) Convergent evolution
84.	Calc	ium is important in skeletal muscle		(4) Adaptive radiation
	cont	raction because it	90.	Which of the following characteristics represent
	(1)	binds to troponin to remove the masking of		'Inheritance of blood groups' in humans ? a. Dominance
		active sites on actin for myosin.		a. Dominanceb. Co-dominance
	(2)	activates the myosin ATPase by binding to		c. Multiple allele
		it.		d. Incomplete dominance
	(3)	detaches the myosin head from the actin		e. Polygenic inheritance
		filament.		(1) b, c and e
	(4)	prevents the formation of bonds between		(2) a, b and c
		the myosin cross bridges and the actin		(3) b, d and e
		filament.		(4) a, c and e

91.	 Which of the following flowers only once in its life-time ? (1) Bamboo species (2) Jackfruit 	98.	In India, the organisation responsible for assessing the safety of introducing genetically modified organisms for public use is (1) Indian Council of Medical Research (ICMR)
	(3) Mango(4) Papaya		(2) Council for Scientific and Industrial Research (CSIR)
92.	Which of the following pairs is <i>wrongly</i> matched?		(3) Research Committee on Genetic Manipulation (RCGM)
	 Starch synthesis in pea : Multiple alleles ABO blood grouping : Co-dominance 		(4) Genetic Engineering Appraisal Committee (GEAC)
	(3) XO type sex : Grasshopper determination	99.	Which of the following is commonly used as a vector for introducing a DNA fragment in human
	(4) T.H. Morgan : Linkage		lymphocytes ?
93.	Select the <i>correct</i> statement :		(1) Retrovirus
	(1) Franklin Stahl coined the term "linkage".		(2) Ti plasmid
	(2) Punnett square was developed by a British scientist.		(3) λ phage
	(3) Spliceosomes take part in translation.		(4) pBR 322
	(4) Transduction was discovered by S. Altman.	100.	The correct order of steps in Polymerase Chain
94.	The experimental proof for semiconservative	100.	Reaction (PCR) is
0 10	replication of DNA was first shown in a		(1) Extension, Denaturation, Annealing
	(1) Fungus		(2) Annealing, Extension, Denaturation
	(2) Bacterium(3) Plant		(3) Denaturation, Extension, Annealing
	(3) Flait (4) Virus		(4) Denaturation, Annealing, Extension
95.	Offsets are produced by	101.	A 'new' variety of rice was patented by a foreign
	(1) Meiotic divisions		company, though such varieties have been
	(2) Mitotic divisions		present in India for a long time. This is related to
	(3) Parthenocarpy		(1) Co-667(2) Sharbati Sonora
	(4) Parthenogenesis		(2) Sharbati Sonora(3) Lerma Rojo
96.	Which of the following has proved helpful in preserving pollen as fossils ?		(4) Basmati
	(1) Pollenkitt		
	(2) Cellulosic intine	102.	Select the <i>correct</i> match :
	(3) Oil content		(1) Ribozyme – Nucleic acid
	(4) Sporopollenin		(2) $F_2 \times \text{Recessive parent} - \text{Dihybrid cross}$
97.	Select the <i>correct</i> match :		(3) T.H. Morgan – Transduction
	(1) Alec Jeffreys – <i>Streptococcus</i>	109	(4) G. Mendel – Transformation
	(2) Alfred Hershey and – TMV Martha Chase	103.	and organisations without authorisation from the concerned country and its people is called
	(3) Matthew Meselson – <i>Pisum sativum</i>		(1) Bio-infringement
	and F. Stahl		(2) Biopiracy
	(4) Francois Jacob and $-$ Lac operon		(3) Biodegradation
	Jacques Monod		(4) Bioexploitation

			1					
104.		lity refers to	110.		two functional groups characteristic of			
	(1)	Death rate		(1)	rs are hydroxyl and methyl			
	(2)	Birth rate		(1) (2)	carbonyl and methyl			
	(3)	Number of individuals leaving the habitat		(2)	carbonyl and phosphate			
	(4)	Number of individuals entering a habitat		(4)	carbonyl and hydroxyl			
105.	Nich	e is	111					
	(1)	all the biological factors in the organism's environment	111.	(1)	ch among the following is not a prokaryote ? Saccharomyces			
	(2)	the physical space where an organism lives		(2)	Mycobacterium			
	(3)	the range of temperature that the organism needs to live		(3) (4)	Nostoc Oscillatoria			
	(4)	the functional role played by the organism	112.	Ston	natal movement is <i>not</i> affected by			
		where it lives		(1)	Temperature			
106.	Wha	t type of ecological pyramid would be		(2)	Light			
2000		ined with the following data ?		(3)	O_2 concentration			
		Secondary consumer : 120 g		(4)	CO_2 concentration			
		Primary consumer : 60 g	113.		ch of the following is not a product of light			
		Primary producer : 10 g			tion of photosynthesis ?			
	(1)	Inverted pyramid of biomass		(1)	ATP			
	(2)	Pyramid of energy		(2) (3)	NADH NADPH			
	(3)	Upright pyramid of numbers		(4)	Oxygen			
	(4)	Upright pyramid of biomass	114.		Golgi complex participates in			
107	In at	ratesphere, which of the following elements		(1)	Fatty acid breakdown			
107.		tratosphere, which of the following elements as a catalyst in degradation of ozone and			(2) Formation of secretory vesicles			
		ase of molecular oxygen ?		(3)	Respiration in bacteria			
	(1)	Carbon		(4)	Activation of amino acid			
	(2)	Cl	115.	Whie	ch of the following is true for nucleolus ?			
	(3)	Fe		(1)	Larger nucleoli are present in dividing cells.			
	(4)	Oxygen		(2)	It is a membrane-bound structure.			
108	Worl	d Ozone Day is celebrated on		(3)	It takes part in spindle formation.			
100.	(1)	5 th June		(4)	It is a site for active ribosomal RNA synthesis.			
	(2)	21 st April	116.		stage during which separation of the paired ologous chromosomes begins is			
	(3)	16^{th} September		(1)	Pachytene			
	(4)	22 nd April		(2)	Diplotene Diakinesis			
109.	Whic	ch of the following is a secondary pollutant ?		(3) (4)	Zygotene			
	(1)	CO	117.		nata in grass leaf are			
			11100	(1)	Dumb-bell shaped			
	(2)	CO_2		(2)	Kidney shaped			
	(3)	SO_2		(3)	Rectangular			

(4)

 O_3

(4)

Barrel shaped

118.	Cas	oarian strips occur in	125.	Win	ged poll	en gra	ains a	re prese	nt in	
	(1)	Epidermis		(1)	Musta	-		F		
	(2)	Pericycle		(2)	Cycas					
	(3)	Cortex		(3)	Mango)				
	(4)	Endodermis		(4)	Pinus					
119.		ts having little or no secondary growth are	196	٨fta	n komo		follo	wod hw	moiogia g	pores are
	(1)	Grasses	120.		duced ex			-	lielosis, s	pores are
	(2)	Deciduous angiosperms		(1)	Neuros	-				
	(3)	Conifers		(2)	Altern	-				
	(4)	Cycads		(3)	Agaric	us				
120.		umatophores occur in		(4)	Sacche	aromy	vces			
-	(1)	Halophytes	107	Mat	ah tha i	• ~ ~ ~ ~		in Calu		there in
	(2)	Free-floating hydrophytes	127.				-			n those in ion given
	(3)	Carnivorous plants		belo		anu	SCICCI		Tect opt	ion given
	(4)	Submerged hydrophytes		5010	Colum	ı I		Colum	ı II	
191	Swo	et potato is a modified		a.	Herba		i		lace havii	nora
141.	(1)	Stem		u.	1101 bu	iiuiii	1.		on of prese	
	(2)	Adventitious root							and anima	
	(3)	Tap root		b.	Key		ii.	A list th	nat enume	erates
	(4)	Rhizome						method	ically all t	the
122.		ndary xylem and phloem in dicot stem are							found in a	
122.		luced by							ief descrip	
	(1)	Apical meristems						-	dentificat	
	(2)	Vascular cambium		c.	Museu	ım	iii.	_		dried and
	(3)	Phellogen						-	plant spe d on shee	
	(4)	Axillary meristems						kept.	u on shee	ts are
123.	Whi	ch of the following statements is <i>correct</i> ?		d.	Catalo	gue	iv.	-	et contair	ning a list
	(1)	Ovules are not enclosed by ovary wall in						of chara	acters and	l their
		gymnosperms.						alterna	tes which	are
	(2)	Selaginella is heterosporous, while Salvinia						_		fication of
		is homosporous.						various	taxa.	
	(3)	Horsetails are gymnosperms.			a	b	с 	d 		
	(4)	Stems are usually unbranched in both <i>Cycas</i> and <i>Cedrus</i> .		(1)	i 	iv 	iii	ii		
	~ ~			(2)	iii 	ii	i 	iv		
124.		ct the <i>wrong</i> statement :		(3)	ii 	iv	iii	i 		
	(1)	Cell wall is present in members of Fungi and Plantae.		(4)	iii	iv	i	ii		
	(2)	Mushrooms belong to Basidiomycetes.	128.					matcheo		
	(3)	Pseudopodia are locomotory and feeding		(1)		-	-	netes –	Polysip	
		structures in Sporozoans.		(2)	Biflage		-	ores –	Brown	-
	(4)	Mitochondria are the powerhouse of the cell		(3) (4)	Gemm Unicel	-		–	Marcha Chlorel	
		in all kingdoms except Monera.		(4)	Unicel	iuiar	orgal	nsin –	Chiorel	iu

129.	Which one of the following plants shows a very close relationship with a species of moth, where	136.	Which of the following statements is <i>not</i> true for halogens ?
	none of the two can complete its life cycle without		(1) All form monobasic oxyacids.
	the other ? (1) Hydrilla		(2) All are oxidizing agents.
	(1) Hydritid (2) Yucca		(3) All but fluorine show positive oxidation
	(3) Banana		states.
	(4) Viola		(4) Chlorine has the highest electron-gain
130.	Pollen grains can be stored for several years in		enthalpy.
	liquid nitrogen having a temperature of	137.	Considering Ellingham diagram, which of the
	(1) $-120^{\circ}C$		following metals can be used to reduce alumina ?
	(2) $-80^{\circ}C$		(1) Fe
	$(3) - 196^{\circ}C$		(2) Zn
	(4) $-160^{\circ}C$		(3) Mg
131.	Which of the following elements is responsible for		(4) Cu
	maintaining turgor in cells ?(1) Magnesium	138.	In the structure of ClF ₃ , the number of lone pairs
	(2) Sodium		of electrons on central atom 'Cl' is
	(3) Potassium		(1) one
	(4) Calcium		(2) two
132.	Double fertilization is		(3) four
	(1) Fusion of two male gametes of a pollen tube		(4) three
	with two different eggs(2) Fusion of one male gamete with two polar nuclei	139.	The correct order of atomic radii in group 13 elements is
	(3) Fusion of two male gametes with one egg		(1) $B < Al < In < Ga < Tl$
	(4) Syngamy and triple fusion		(2) B < Al < Ga < In < Tl
133.	Oxygen is not produced during photosynthesis by		(3) $B < Ga < Al < Tl < In$
	(1) Green sulphur bacteria		(4) B < Ga < Al < In < Tl
	$\begin{array}{ccc} (2) & Nostoc \\ (2) & G \end{array}$	140	The correct order of N-compounds in its
	(3) Cycas(4) Chara	140.	decreasing order of oxidation states is
194	What is the role of NAD^+ in cellular		(1) HNO_3 , NO, N_2 , NH_4Cl
104.	respiration ?		(2) HNO_3 , NO, NH_4Cl , N_2
	(1) It functions as an enzyme.		(3) HNO_3 , NH_4Cl , NO , N_2
	(2) It functions as an electron carrier.		• - -
	(3) It is a nucleotide source for ATP synthesis.		(4) $\mathrm{NH}_4\mathrm{Cl}, \mathrm{N}_2, \mathrm{NO}, \mathrm{HNO}_3$
	(4) It is the final electron acceptor for anaerobic respiration.	141.	Which one of the following elements is unable to
195	In which of the following forms is iron absorbed		form MF_6^{3-} ion ?
100.	by plants ?		(1) Ga
	(1) Ferric		(2) Al
	(2) Ferrous		(3) B
	(3) Free element		
	(4) Both ferric and ferrous		(4) In

- 142. The compound A on treatment with Na gives B, and with PCl₅ gives C. B and C react together to give diethyl ether. A, B and C are in the order
 - $(1) \quad \mathrm{C_2H_5OH, C_2H_6, C_2H_5Cl}$
 - $(2) \quad C_2H_5OH, C_2H_5Cl, C_2H_5ONa$
 - $(3) \quad C_2H_5Cl, C_2H_6, C_2H_5OH$
 - $(4) \quad C_2H_5OH, C_2H_5ONa, C_2H_5Cl$
- 143. Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is
 - (1) $CH \equiv CH$
 - (2) $CH_2 = CH_2$
 - $(3) \quad \mathrm{CH}_3 \mathrm{CH}_3$
 - (4) CH₄
- 144. The compound ${\rm C_7H_8}$ undergoes the following reactions :

$$C_7H_8 \xrightarrow{3 \operatorname{Cl}_2/\Delta} A \xrightarrow{\operatorname{Br}_2/\operatorname{Fe}} B \xrightarrow{\operatorname{Zn}/\operatorname{HCl}} C$$

The product 'C' is

- (1) *m*-bromotoluene
- (2) *o*-bromotoluene
- (3) 3-bromo-2,4,6-trichlorotoluene
- (4) *p*-bromotoluene
- **145.** Which oxide of nitrogen is **not** a common pollutant introduced into the atmosphere both due to natural and human activity ?
 - $(1) N_2O_5$
 - (2) NO₂
 - (3) N₂O
 - (4) NO

- **146.** Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations :
 - a. 60 mL $\frac{M}{10}$ HCl + 40 mL $\frac{M}{10}$ NaOH b. 55 mL $\frac{M}{10}$ HCl + 45 mL $\frac{M}{10}$ NaOH c. 75 mL $\frac{M}{5}$ HCl + 25 mL $\frac{M}{5}$ NaOH
 - d. 100 mL $\frac{M}{10}$ HCl + 100 mL $\frac{M}{10}$ NaOH
 - pH of which one of them will be equal to 1?
 - (1) b
 - (2) a
 - (3) d
 - (4) c
- **147.** On which of the following properties does the coagulating power of an ion depend ?
 - (1) The magnitude of the charge on the ion alone
 - $(2) \quad Size \ of \ the \ ion \ alone$
 - (3) Both magnitude and sign of the charge on the ion
 - $(4) \quad \ \ {\rm The \ sign \ of \ charge \ on \ the \ ion \ alone}$

148. The solubility of $BaSO_4$ in water is $2.42 \times 10^{-3} \text{ gL}^{-1}$ at 298 K. The value of its solubility product (K_{sp}) will be (Given molar mass of $BaSO_4 = 233 \text{ g mol}^{-1}$)

- $(1) \quad 1{\cdot}08 \times 10^{-10} \ \text{mol}^2 \ \text{L}^{-2}$
- (2) $1.08 \times 10^{-12} \text{ mol}^2 \text{ L}^{-2}$
- $(3) ~~1{\cdot}08 \times 10^{-14} ~mol^2 ~L^{-2}$
- (4) $1.08 \times 10^{-8} \text{ mol}^2 \text{ L}^{-2}$
- 149. Given van der Waals constant for NH_3 , H_2 , O_2 and CO_2 are respectively 4.17, 0.244, 1.36 and 3.59, which one of the following gases is most easily liquefied ?
 - (1) NH₃
 - (2) H₂
 - (3) O₂
 - (4) CO₂

150. Match the metal ions given in Column I with the 155. Identify the major products P, Q and R in the spin magnetic moments of the ions given in Column II and assign the *correct* code :

			0	
	Colum	nn I		Column II
a.	C0 ³⁺		i.	$\sqrt{8}$ B.M.
b.	Cr^{3+}		ii.	$\sqrt{35}$ B.M.
c.	Fe^{3+}		iii.	$\sqrt{3}$ B.M.
d.	Ni^{2+}		iv.	$\sqrt{24}$ B.M.
			v.	$\sqrt{15}$ B.M.
	a	b	с	d
(1)		v	ii	i
(2)	i	ii	iii	iv
(3)	iv	i	ii	iii
(4)	iii	v	i	ii

151. Iron carbonyl, $Fe(CO)_5$ is


- (1)tetranuclear
- (2)mononuclear
- (3)trinuclear
- dinuclear (4)
- 152. The geometry and magnetic behaviour of the complex [Ni(CO)₄] are
 - (1)square planar geometry and diamagnetic
 - (2)tetrahedral geometry and diamagnetic
 - (3)square planar geometry and paramagnetic
 - tetrahedral geometry and paramagnetic (4)
- 153. Which one of the following ions exhibits d-d transition and paramagnetism as well?
 - $\operatorname{CrO}_{4}^{2-}$ (1)
 - $Cr_2O_7^{2-}$ (2)
 - MnO_{4}^{-} (3)
 - MnO_4^{2-} (4)
- 154. The type of isomerism shown by the complex $[CoCl_2(en)_2]$ is
 - (1)Geometrical isomerism
 - (2)Coordination isomerism
 - (3)Ionization isomerism
 - (4)Linkage isomerism


following sequence of reactions :


- 156. Which of the following compounds can form a zwitterion?
 - (1)Aniline
 - (2)Acetanilide
 - (3)Benzoic acid
 - (4)Glycine


157. Which of the following molecules represents the 160. Magnesium reacts with an element (X) to form an order of hybridisation sp^2 , sp^2 , sp, sp from left to right atoms ?

- $HC \equiv C C \equiv CH$ (1)
- $CH_2 = CH C \equiv CH$ (2)
- (3) $CH_2 = CH - CH = CH_2$
- $CH_3 CH = CH CH_3$ (4)
- **158.** Which of the following carbocations is expected to be most stable?









159.	Which of the following is correct with respect to
	- I effect of the substituents ? (R = alkyl)

- $(1) NH_2 < -OR < -F$
- (2) $-NR_2 < -OR < -F$
- $(3) NH_2 > OR > F$
- (4) $-NR_2 > -OR > -F$

- ionic compound. If the ground state electronic configuration of (X) is $1s^2 2s^2 2p^3$, the simplest formula for this compound is
 - (1) Mg_2X_3
 - (2)MgX₂
 - Mg₉X (3)
 - Mg₂X₂ (4)
- 161. Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is

(1)
$$\frac{\sqrt{3}}{\sqrt{2}}$$

(2)
$$\frac{4\sqrt{3}}{3\sqrt{2}}$$

(3)
$$\frac{3\sqrt{3}}{4\sqrt{2}}$$

(4)
$$\frac{1}{2}$$

162. Which one is a *wrong* statement?

- (1)Total orbital angular momentum of electron in 's' orbital is equal to zero.
- An orbital is designated by three quantum (2)numbers while an electron in an atom is designated by four quantum numbers.
- (3)The electronic configuration of N atom is


$1s^2$	$2s^2$	$2\mathrm{p_x^1}~2\mathrm{p_y^1}~2\mathrm{p_z^1}$		
^↓	↑↓	1	1	↓

- The value of m for d_{z^2} is zero. (4)
- **163.** Consider the following species :

CN⁺, CN⁻, NO and CN

Which one of these will have the highest bond order?

- (1)NO (2) CN^{-} CN^+ (3)
- CN (4)




the electrophile involved is


- (1) dichloromethyl cation ($\overset{\cup}{CHCl}_2$)
- (2) formyl cation ($\overset{\smile}{CHO}$)
- (3) dichloromethyl anion $(CHCl_2)$
- (4) dichlorocarbene ($:CCl_2$)
- 165. Carboxylic acids have higher boiling points than aldehydes, ketones and even alcohols of comparable molecular mass. It is due to their
 - (1) formation of intramolecular H-bonding
 - (2) formation of carboxylate ion
 - (3) more extensive association of carboxylic acid via van der Waals force of attraction
 - (4) formation of intermolecular H-bonding
- 166. Compound A, $C_8H_{10}O$, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

(1) $H_3C \longrightarrow CH_2 - OH \text{ and } I_2$

(2)
$$CH_2 - CH_2 - OH \text{ and } I_2$$





- **167.** The correct difference between first- and second-order reactions is that
 - (1) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
 - (2) the half-life of a first-order reaction does not depend on [A]₀; the half-life of a second-order reaction does depend on [A]₀
 - (3) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
 - (4) the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
- 168. Among CaH₂, BeH₂, BaH₂, the order of ionic character is
 - (1) $BeH_2 < CaH_2 < BaH_2$
 - (2) $CaH_2 < BeH_2 < BaH_2$
 - (3) $BeH_2 < BaH_2 < CaH_2$
 - $(4) \quad \mathrm{BaH}_2 < \mathrm{BeH}_2 < \mathrm{CaH}_2$
- **169.** Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below :

Then the species undergoing disproportionation is

- (1) BrO_3^-
- (2) BrO₄
- (3) Br₂
- (4) HBrO
- **170.** In which case is the number of molecules of water maximum ?
 - (1) 18 mL of water
 - $(2) \quad 0.18 \ g \ of \ water$
 - (3) 0.00224 L of water vapours at 1 atm and 273 K
 - (4) 10^{-3} mol of water

- 171. Regarding cross-linked or network polymers, 176. For the redox reaction which of the following statements is *incorrect*?
 - (1)They contain covalent bonds between various linear polymer chains.
 - They are formed from bi- and tri-functional (2)monomers.
 - (3)Examples are bakelite and melamine.
 - (4)They contain strong covalent bonds in their polymer chains.
- **172.** Nitration of aniline in strong acidic medium also gives m-nitroaniline because
 - (1)goes to only m-position.
 - (2)In electrophilic substitution reactions amino group is meta directive.
 - In absence of substituents nitro group (3)always goes to m-position.
 - (4)In acidic (strong) medium aniline is present as anilinium ion.
- 173. Which of the following oxides is most acidic in nature?
 - (1)MgO
 - (2)BeO
 - (3)BaO
 - (4)CaO
- 174. The difference between amylose and amylopectin is
 - (1)Amylopectin have $1 \rightarrow 4$ α -linkage and $1 \rightarrow 6 \alpha$ -linkage
 - (2)Amylose have $1 \rightarrow 4$ α -linkage and $1 \rightarrow 6 \beta$ -linkage
 - (3)Amylopectin have $1 \rightarrow 4 \alpha$ -linkage and $1 \rightarrow 6 \beta$ -linkage
 - (4)Amylose is made up of glucose and galactose
- **175.** A mixture of 2.3 g formic acid and 4.5 g oxalic acid is treated with conc. H_2SO_4 . The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
 - (1)1.4
 - (2) $3 \cdot 0$
 - (3) $2 \cdot 8$
 - (4) $4 \cdot 4$

 $MnO_4^- + C_2O_4^{2-} + H^+ \longrightarrow Mn^{2+} + CO_2 + H_2O_4^$ the correct coefficients of the reactants for the

balanced equation are

	${ m MnO}_4^-$	$C_2 O_4^{2-}$	H^+
(1)	16	5	2
(2)	2	5	16
(3)	2	16	5
(4)	5	16	2

- In spite of substituents nitro group always | 177. The correction factor 'a' to the ideal gas equation corresponds to
 - (1)density of the gas molecules
 - (2)volume of the gas molecules
 - (3)electric field present between the gas molecules
 - (4)forces of attraction between the gas molecules
 - 178. Which one of the following conditions will favour maximum formation of the product in the reaction.

 $A_2(g) + B_2(g) \rightleftharpoons X_2(g) \quad \Delta_r H = -X kJ?$

- (1)Low temperature and high pressure
- (2)Low temperature and low pressure
- (3)High temperature and high pressure
- High temperature and low pressure (4)
- 179. The bond dissociation energies of X_2 , Y_2 and XYare in the ratio of $1: 0.5: 1. \Delta H$ for the formation of XY is -200 kJ mol^{-1} . The bond dissociation energy of X₂ will be
 - (1) 200 kJ mol^{-1}
 - 100 kJ mol^{-1} (2)
 - 800 kJ mol^{-1} (3)
 - 400 kJ mol^{-1} (4)
- 180. When initial concentration of the reactant is doubled, the half-life period of a zero order reaction
 - (1)is halved
 - is doubled (2)
 - (3)is tripled
 - remains unchanged (4)

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK

Read carefully the following instructions :

- 1. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. **Cases where a** candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 4. Use of Electronic/Manual Calculator is prohibited.
- 5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

BOOKLET CODE - ACHLA (DD)

Q.No.	Answer
1.	(2)
2.	(1)
3.	(1)
4.	(1)
5.	(2)
6.	(2)
7.	(1)
8.	(1)
9.	(1)
10.	(1)
11.	(2)
12.	(4)
13.	(2)
14.	(4)
15.	(4)
16.	(1)
17.	(1)
18.	(4)
19.	(4)
20.	(4)
20.	(4)
22.	(4)
23.	(1)
23.	(1)
24.	(1)
26.	(1)
20.	(1)
28.	(2)
20.	(3)
	(2)
30.	
31. 32.	(2)
33. 34.	(4) (3)
35.	(4)
36.	(1)
37.	
38.	(3)
39.	(3)
40.	(2)
41.	(1)
42.	(4)
43.	(2)
44.	(2)
45.	(4)

Q.No.	Answer
46.	(1)
47.	(2)
48.	(1)
	(3)
49.	
50.	(4)
51.	(3)
52.	(2)
53.	(2)
54.	(1)
55.	(2)
56.	(4)
57.	(2)
58.	(3)
59.	(1)
60.	(2)
61.	(3)
62.	(1)
63.	(1)
64.	(4)
65.	(1)
66.	(1)
67.	(2)
68.	(4)
69.	(2)
70.	(4)
71.	(4)
72.	(4)
73.	(2)
74.	(4)
75.	(1)
76.	(1)
70.	(3) (3)
70	(3)
78.	(2)
79.	(4)
80.	(1)
81.	(4)
82.	(4)
83.	(2)
84.	(1)
85.	(3)
86.	(4)
87.	(3)
88.	(1)
89. (1)	
90.	(2)
	. /

Q.No.	Answer
91.	(1)
92.	(1)
93.	(2)
94.	(2)
95.	(2)
96.	(4)
97.	(4)
98.	(4)
99.	(1)
100.	(4)
101.	(4)
102.	(1)
103.	(2)
100.	(2)
101.	(4)
106.	(1)
107.	(2)
107.	(3)
109.	(4)
110.	(4)
111.	(1)
112.	(3)
113.	(2)
114.	(2)
115.	(4)
116.	(2)
117.	(1)
118.	(4)
119.	(1)
120.	(1)
120.	(1)
121.	(2)
122.	(2)
123.	(1)
124.	(3)
125.	(4)
120.	(3)
127.	(1)
120.	(1)
129.	(2)
130.	(3)
131.	(3) (4)
133.	(1)
133.	(1)
134.	(2)
100.	

Q.No.	Answer		.No.	Answer
91.	(1)	1	36.	(3)
92.	(1)	1	37.	(3)
93.	(2)	1	38.	(2)
94.	(2)	1	39.	(4)
95.	(2)	1	40.	(1)
96.	(4)	1	41.	(3)
97.	(4)	1	42.	(4)
98.	(4)	1	43.	(4)
99.	(1)	1	44.	(1)
100.	(4)	1	45.	(1)
101.	(4)	1	46.	(4)
102.	(1)	1	47.	(3)
103.	(2)	1	48.	(1)
104.	(2)	1	49.	(1)
105.	(4)	1	50.	(1)
106.	(1)	1	51.	(2)
107.	(2)	1	52.	(2)
108.	(3)	1	53.	(4)
109.	(4)	1	54.	(1)
110.	(4)	1	55.	(4)
111.	(1)	1	56.	(4)
112.	(3)	1	57.	(2)
113.	(2)	1	58.	(3)
114.	(2)	1	59.	(1)*
115.	(4)	1	60.	(4)
116.	(2)	1	61.	(3)
117.	(1)	1	62.	(3)
118.	(4)	1	63.	(2)
119.	(1)	1	64.	(4)
120.	(1)	1	65.	(4)
121.	(2)	1	66.	(3)
122.	(2)	1	67.	(2)
123.	(1)	1	68.	(1)
124.	(3)	1	69.	(4)
125.	(4)	1	70.	(1)
126.	(3)	1	71.	(4)
127.	(4)	1	72.	(4)
128.	(1)	1	73.	(2)
129.	(2)	1	74.	(1)
130.	(3)		75.	(3)
131.	(3)		76.	(2)
132.	(4)	1	77.	(4)
133.	(1)		78.	(1)
134.	(2)		79.	(3)
135.	(1)		80.	(2)
			- • •	(-)