

This Booklet contains **24** pages.



#### Do not open this Test Booklet until you are asked to do so.

#### Read carefully the Instructions on the Back Cover of this Test Booklet.

### **Important Instructions :**

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on **Side-1** and **Side-2** carefully with **blue/black** ball point pen only.
- 2. The test is of **3 hours** duration and this Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one mark** will be deducted from the total scores. The maximum marks are 720.
- 3. Use **Blue/Black Ball Point Pen only** for writing particulars on this page/marking responses.
- 4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 5. On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is **FF**. Make sure that the CODE printed on **Side-2** of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 8. Use of white fluid for correction is *not* permissible on the Answer Sheet.

Name of the Candidate (in Capitals) :	
Roll Number : in figures	
: in words	
Centre of Examination (in Capitals) :	
Candidate's Signature :	Invigilator's Signature :
Facsimile signature stamp of Centre Superintendent :	

1. 2.	com) (1) (2) (3) (4) Iron	plex [N squar tetral squar tetral carbon	i(CO) <sub>4</sub> ] e plana nedral g e plana nedral g nyl, Fe(C	are r geome eometry r geome eometry	etic behaviour of the try and diamagnetic and diamagnetic try and paramagnetic and paramagnetic		form (1) (2) (3) (4)	ch one of the following elements is unable to $MF_6^{3-}$ ion ? Ga Al B In
	<ul> <li>(1)</li> <li>(2)</li> <li>(3)</li> <li>(4)</li> </ul>					7.	decr	easing order of oxidation states is $HNO_3$ , NO, N <sub>2</sub> , $NH_4Cl$
3.	Whie	ch on transiti $CrO_4^2$	e of ion and -		lowing ions exhibits gnetism as well ?	8.	<ul> <li>(2)</li> <li>(3)</li> <li>(4)</li> </ul>	$HNO_3$ , NO, $NH_4Cl$ , $N_2$ $HNO_3$ , $NH_4Cl$ , NO, $N_2$ $NH_4Cl$ , $N_2$ , NO, $HNO_3$ sidering Ellingham diagram, which of the
	<ul><li>(2)</li><li>(3)</li><li>(4)</li></ul>	Cr <sub>2</sub> O MnO MnO	- 4			0.		wing metals can be used to reduce alumina? Fe Zn Mg
<b>4</b> . <b>5</b> .	[CoC (1) (2) (3) (4)	Cl <sub>2</sub> (en) <sub>2</sub> Geom Coord Ioniza Linka	2] is etrical i lination ation iso age isom	isomeris isomeri omerism ierism		9.	(4) Whie	Cu ch of the following statements is <b>not</b> true for gens ? All form monobasic oxyacids. All are oxidizing agents. All but fluorine show positive oxidation states.
9.	$_{\rm spin}$	magn	netic me and ass	oments	of the ions given in correct code : Column II $\sqrt{8}$ B.M.	10.		Chlorine has the highest electron-gain enthalpy. The structure of $\text{ClF}_3$ , the number of lone pairs ectrons on central atom 'Cl' is
	b. c. d.	Cr <sup>3+</sup> Fe <sup>3+</sup> Ni <sup>2+</sup>		ii. iii. iv. v.	$\sqrt{35}$ B.M. $\sqrt{3}$ B.M. $\sqrt{24}$ B.M. $\sqrt{15}$ B.M.		<ul> <li>(1)</li> <li>(2)</li> <li>(3)</li> <li>(4)</li> </ul>	one two four three
	<ol> <li>(1)</li> <li>(2)</li> <li>(3)</li> <li>(4)</li> </ol>	a iv i iv iii	b v ii i v	v. c ii iii iii ii	d i iv iii ii	11.		correct order of atomic radii in group 13 hents is B < Al < In < Ga < Tl B < Al < Ga < In < Tl B < Ga < Al < Tl < In B < Ga < Al < Tl < In

- 12. Nitration of aniline in strong acidic medium also gives m-nitroaniline because 17.
  - (1) In spite of substituents nitro group always goes to only m-position.
  - (2) In electrophilic substitution reactions amino group is meta directive.
  - (3) In absence of substituents nitro group always goes to m-position.
  - (4) In acidic (strong) medium aniline is present as anilinium ion.
- **13.** Regarding cross-linked or network polymers, which of the following statements is *incorrect* ?
  - (1) They contain covalent bonds between various linear polymer chains.
  - (2) They are formed from bi- and tri-functional monomers.
  - (3) Examples are bakelite and melamine.
  - (4) They contain strong covalent bonds in their polymer chains.
- 14. The difference between amylose and amylopectin is
  - (1) Amylopectin have  $1 \rightarrow 4$   $\alpha$ -linkage and  $1 \rightarrow 6 \alpha$ -linkage
  - (2) Amylose have  $1 \rightarrow 4$   $\alpha$ -linkage and  $1 \rightarrow 6 \beta$ -linkage
  - (3) Amylopectin have 1  $\rightarrow$  4  $\alpha\text{-linkage}$  and 1  $\rightarrow$  6  $\beta\text{-linkage}$
  - (4) Amylose is made up of glucose and galactose
- 15. A mixture of 2.3 g formic acid and 4.5 g oxalic acid is treated with conc.  $H_2SO_4$ . The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
  - (1) 1.4
  - (2) 3.0
  - (3) 2.8
  - (4) 4.4
- **16.** Which of the following oxides is most acidic in nature ?
  - (1) MgO
  - (2) BeO
  - (3) BaO

CaO

Compound A,  $C_8H_{10}O$ , is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively


(1)  $H_3C \longrightarrow CH_2 - OH \text{ and } I_2$ 

(2) 
$$\bigcirc$$
 CH<sub>2</sub> – CH<sub>2</sub> – OH and I<sub>2</sub>

(3) 
$$(3) \longrightarrow CH - CH_3 \text{ and } I_2$$
  
OH

(4) 
$$CH_3 \longrightarrow OH \text{ and } I_2$$

**18.** In the reaction





the electrophile involved is


- (1) dichloromethyl cation ( $CHCl_2$ )
- (2) formyl cation ( $\stackrel{\bigcirc}{CHO}$ )
- (3) dichloromethyl anion  $(CHCl_2)$
- (4) dichlorocarbene ( $:CCl_2$ )
- **19.** Carboxylic acids have higher boiling points than aldehydes, ketones and even alcohols of comparable molecular mass. It is due to their
  - (1) formation of intramolecular H-bonding
  - (2) formation of carboxylate ion
  - (3) more extensive association of carboxylic acid via van der Waals force of attraction
  - (4) formation of intermolecular H-bonding


(4)

- 20. Which of the following molecules represents the order of hybridisation sp<sup>2</sup>, sp<sup>2</sup>, sp, sp from left to right atoms ?
  - (1)  $HC \equiv C C \equiv CH$
  - (2)  $CH_2 = CH C \equiv CH$
  - (3)  $CH_2 = CH CH = CH_2$
  - $(4) \quad \mathrm{CH}_3 \mathrm{CH} = \mathrm{CH} \mathrm{CH}_3$
- 21. Which of the following carbocations is expected to be most stable ?









- **22.** Which of the following is correct with respect to - I effect of the substituents ? (R = alkyl)
  - (1)  $-NH_2 < -OR < -F$
  - (2)  $-NR_2 < -OR < -F$
  - (3)  $-NH_2 > -OR > -F$
  - (4)  $-NR_2 > -OR > -F$

- Which oxide of nitrogen is **not** a common pollutant introduced into the atmosphere both due to natural and human activity ?
- (1) N<sub>2</sub>O<sub>5</sub>
- (2) NO<sub>2</sub>
- $(3) \quad N_2O$
- (4) NO

 The compound A on treatment with Na gives B, and with PCl<sub>5</sub> gives C. B and C react together to give diethyl ether. A, B and C are in the order


- $(1) \quad C_2H_5OH, C_2H_6, C_2H_5Cl$
- $(2) \quad C_2H_5OH, C_2H_5Cl, C_2H_5ONa$
- $(3) \quad C_2H_5Cl,\,C_2H_6,\,C_2H_5OH$
- (4)  $C_2H_5OH$ ,  $C_2H_5ONa$ ,  $C_2H_5Cl$
- **25.** The compound  $C_7H_8$  undergoes the following reactions :

$$C_7H_8 \xrightarrow{3 \operatorname{Cl}_2 / \Delta} A \xrightarrow{\operatorname{Br}_2 / \operatorname{Fe}} B \xrightarrow{\operatorname{Zn} / \operatorname{HCl}} C$$

The product 'C' is

- (1) *m*-bromotoluene
- (2) *o*-bromotoluene
- (3) 3-bromo-2,4,6-trichlorotoluene
- (4) *p*-bromotoluene
- 26. Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is
  - (1)  $CH \equiv CH$
  - (2)  $CH_2 = CH_2$
  - (3)  $CH_3 CH_3$
  - (4) CH<sub>4</sub>

Identify the major products P, Q and R in the 29. 27. following sequence of reactions :



For the redox reaction

 $MnO_4^- + C_2O_4^{2-} + H^+ \longrightarrow Mn^{2+} + CO_2 + H_2O_4^-$ 

CHLAA/FF/Page 5

gas

gas

34. Given van der Waals constant for NH<sub>3</sub>, H<sub>2</sub>, O<sub>2</sub> and CO<sub>2</sub> are respectively 4·17, 0·244, 1·36 and 3·59, which one of the following gases is most easily liquefied ?

- (1) NH<sub>3</sub>
- (2) H<sub>2</sub>
- (3) O<sub>2</sub>
- (4) CO<sub>2</sub>
- **35.** Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations :

 a.
 60 mL  $\frac{M}{10}$  HCl + 40 mL  $\frac{M}{10}$  NaOH

 b.
 55 mL  $\frac{M}{10}$  HCl + 45 mL  $\frac{M}{10}$  NaOH

 c.
 75 mL  $\frac{M}{5}$  HCl + 25 mL  $\frac{M}{5}$  NaOH

 d.
 100 mL  $\frac{M}{10}$  HCl + 100 mL  $\frac{M}{10}$  NaOH

 pH of which one of them will be equal to 1 ?

 (1)
 b

 (2)
 a

- (3) d
- (4) c

**36.** The solubility of  $BaSO_4$  in water is  $2\cdot42 \times 10^{-3} \text{ gL}^{-1}$  at 298 K. The value of its solubility product  $(K_{sp})$  will be

(Given molar mass of  $BaSO_4 = 233 \text{ g mol}^{-1}$ )

- (1)  $1.08 \times 10^{-10} \text{ mol}^2 \text{ L}^{-2}$
- (2)  $1.08 \times 10^{-12} \text{ mol}^2 \text{ L}^{-2}$
- (3)  $1.08 \times 10^{-14} \text{ mol}^2 \text{ L}^{-2}$
- (4)  $1.08 \times 10^{-8} \text{ mol}^2 \text{ L}^{-2}$
- **37.** On which of the following properties does the coagulating power of an ion depend ?
  - (1) The magnitude of the charge on the ion alone
  - (2) Size of the ion alone
  - (3) Both magnitude and sign of the charge on the ion
  - (4) The sign of charge on the ion alone

The correct difference between first- and second-order reactions is that

- (1) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
- (2) the half-life of a first-order reaction does not depend on [A]<sub>0</sub>; the half-life of a second-order reaction does depend on [A]<sub>0</sub>
- (3) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
- (4) the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
- **39.** Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below :

Then the species undergoing disproportionation is

- (1)  $BrO_3^-$
- (2) BrO<sup>-</sup><sub>4</sub>
- (3) Br<sub>2</sub>
- (4) HBrO
- **40.** In which case is the number of molecules of water maximum ?
  - (1) 18 mL of water
  - (2) 0.18 g of water
  - (3) 0.00224 L of water vapours at 1 atm and 273 K
  - (4)  $10^{-3}$  mol of water
- **41.** Among CaH<sub>2</sub>, BeH<sub>2</sub>, BaH<sub>2</sub>, the order of ionic character is
  - (1)  $BeH_2 < CaH_2 < BaH_2$
  - (2)  $CaH_2 < BeH_2 < BaH_2$
  - $(3) \quad \mathrm{BeH}_2 < \mathrm{BaH}_2 < \mathrm{CaH}_2$
  - (4)  $BaH_2 < BeH_2 < CaH_2$

- 42. Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is 1s<sup>2</sup> 2s<sup>2</sup> 2p<sup>3</sup>, the simplest formula for this compound is
  - (1)  $Mg_2X_3$
  - (2) MgX<sub>2</sub>
  - (3) Mg<sub>2</sub>X
  - $(4) \quad Mg_3X_2$
- **43.** Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is

(1) 
$$\frac{\sqrt{3}}{\sqrt{2}}$$

$$(2) \qquad \frac{4\sqrt{3}}{3\sqrt{2}}$$

$$(3) \quad \frac{3\sqrt{3}}{4\sqrt{2}}$$


$$(4) \quad \frac{1}{2}$$

**44.** Consider the following species :

 $\mathrm{CN}^+$ ,  $\mathrm{CN}^-$ , NO and CN

Which one of these will have the highest bond order?

- (1) NO
- (2) CN<sup>-</sup>
- (3) CN<sup>+</sup>
- (4) CN
- **45.** Which one is a *wrong* statement ?
  - (1) Total orbital angular momentum of electron in 's' orbital is equal to zero.
  - (2) An orbital is designated by three quantum numbers while an electron in an atom is designated by four quantum numbers.
  - $(3) \quad \ \ {\rm The \ electronic \ configuration \ of \ N \ atom \ is}$



(4) The value of m for  $d_{z^2}$  is zero.

- Hormones secreted by the placenta to maintain pregnancy are
  - (1) hCG, hPL, progestogens, prolactin
  - (2) hCG, hPL, estrogens, relaxin, oxytocin
  - (3) hCG, hPL, progestogens, estrogens
  - (4) hCG, progestogens, estrogens, glucocorticoids

**47.** The contraceptive 'SAHELI'

- (1) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
- (2) increases the concentration of estrogen and prevents ovulation in females.
- (3) is an IUD.
- (4) is a post-coital contraceptive.
- **48.** The difference between spermiogenesis and spermiation is
  - (1) In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
  - (2) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.
  - (3) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
  - (4) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.
- **49.** The amnion of mammalian embryo is derived from
  - (1) ectoderm and mesoderm
  - $(2) \quad endoderm \ and \ mesoderm$
  - (3) mesoderm and trophoblast
  - (4) ectoderm and endoderm

50.	In a	ı grow	ring pop	ulatior	n of a cou	ntry,	55.	Whi	ch of	the fo	llowing a	gastric cells indirectly	
	(1)	-	-			ls are more than				ythropo		Subtric cents municety	
	(2)		-		ndividual viduals a		(1)	Chie	ef cells				
	(2)	-			individua			(2)	(2) Mucous cells				
	(3)	-	oductive viduals :		and 1al in nu	pre-reproductive		(3)	Gob	let cells			
	(4)			-		lls are less than		(4)	Pari	ietal cell	s		
		-	-		ndividual		56.	Mat	ch th	e items s	given in (	Column I with those in	
51.	All	of th	e follov	wing a	are inclu	uded in 'Ex-situ				-	-	e <i>correct</i> option given	
			ion' exce	-				belo					
	(1)		llife safa	-	ks				Colı	ımn I		Column II	
	(2) (3)		ed grove mical ga					a.	Fibr	rinogen	i.	Osmotic balance	
	(4)		l banks	uuciis				b.		oulin	ii.	Blood clotting	
<b>F</b> 0				· 41	C- 11	····· 1.4'···		с.		umin	iii.	Defence mechanism	
52.	Whie inte		one of ns is wi			ving population edical science for		ι.	AID	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	111.	Defence mechanism	
		produ	ction of	antibi					a	b	С		
	(1)		mensali	ism				(1)	iii	ii	i		
	(2)		ualism					(2)	i	ii	iii		
	(3) (4)		asitism ensalism					(3)	i	iii	ii		
-								(4)	ii	iii	i		
53.			rt of poj ack"?	ppy pl	ant is u	sed to obtain the	57.	Calo	cium	is im	portant	in skeletal muscle	
	(1)	Flow						cont	tractio	on becau	se it		
	(2)	Late	X					(1) binds to troponin to remove the masking of					
	(3)	Root							active sites on actin for myosin.				
	(4)	Leav	ves					(2)		vates the	e myosin	ATPase by binding to	
54.			-	-		In I with those in			it.				
	Colu belo		I and s	select	the <i>corr</i>	ect option given		(3)			e myosir	h head from the actin	
			umn I		Ca	olumn II		$(\mathbf{A})$		nent.	C I		
	a.	Eutr	ophicat	ion	i. UV	-B radiation		(4)	-			tion of bonds between bridges and the actin	
	b.	Sanitary landfill ii. Deforestation								nent.		inges and the defin	
	c.	Snov	w blindn	less	iii. Nu		~0	<b>1171</b> ·	1	C 11	C 11 ·		
	d.	Jhu	n cultiv	ation		ichment ste disposal	58.			ry disord	-	; is an occupational	
	u.	a	b	анон С	1v. wa d	sie aisposai		-		-			
	(1)	ii	i	iii	iv			(1)		hracis			
	(2)	i	iii	iv	ii			(2)	Silic				
	(3)	iii	iv	i	ii			(3)	Botı	ılism			
	(4)	i	ii	iv	iii			(4)	Emj	physema	L		

59.	Ciliates differ from all other protozoans in	65.	The similarity of bone structure in the forelimbs
00.	(1) using flagella for locomotion	00.	of many vertebrates is an example of
	<ul><li>(1) using hagena for reconnection</li><li>(2) having a contractile vacuole for removing</li></ul>		(1) Homology
	excess water		(2) Analogy
	(3) using pseudopodia for capturing prey		(3) Convergent evolution
	(4) having two types of nuclei		(4) Adaptive radiation
60.	Which of the following features is used to identify a male cockroach from a female cockroach ?	66.	In which disease does mosquito transmitted pathogen cause chronic inflammation of lymphatic vessels ?
	(1) Presence of a boat shaped sternum on the		(1) Elephantiasis
	$9^{ m th}$ abdominal segment		(2) Ascariasis
	(2) Presence of caudal styles		(3) Ringworm disease
	(3) Forewings with darker tegmina		(4) Amoebiasis
	(4) Presence of anal cerci	67.	Conversion of milk to curd improves its nutritional value by increasing the amount of
61.	Which of the following organisms are known as		(1) Vitamin D
	chief producers in the oceans ?		(2) Vitamin A
	(1) Dinoflagellates		(3) Vitamin B <sub>12</sub>
	(2) Diatoms		(4) Vitamin E
	(3) Cyanobacteria	68.	Which of the following characteristics represent
	(4) Euglenoids	00.	'Inheritance of blood groups' in humans ?
62.	Identify the vertebrate group of animals		a. Dominance
	characterized by crop and gizzard in its digestive system.		b. Co-dominance
	(1) Amphibia		c. Multiple allele
	(2) Reptilia		d. Incomplete dominance
	(3) Aves		e. Polygenic inheritance
	(4) Osteichthyes		<ul> <li>(1) b, c and e</li> <li>(2) a, b and c</li> </ul>
			(2) a, b and c (3) b, d and e
63.	Which of the following animals does <i>not</i> undergo		(4) a, c and e
	metamorphosis?	69.	Which of the following is <b>not</b> an autoimmune
	(1) Earthworm	03.	disease ?
	(2) Tunicate		(1) Psoriasis
	(3) Moth (4) Starfish		(2) Rheumatoid arthritis
	(4) Starfish		(3) Alzheimer's disease
64.	Which one of these animals is <b>not</b> a		(4) Vitiligo
	homeotherm ?	70.	Among the following sets of examples for
	(1) Macropus		divergent evolution, select the <i>incorrect</i> option :
	(2) Chelone	1	(1) Forelimbs of man, bat and cheetah
	(3) Camelus		(2) Heart of bat, man and cheetah
		1	(3) Brain of bat, man and cheetah
	(4) Psittacula		(4) Eye of octopus, bat and man

71.	Mat	oh the	itoms of	von i	n Column I with those in	73.	Niss	sl bodies are mainly composed of			
11.			0		the <i>correct</i> option given		(1)	Proteins and lipids			
	belo		and se		the correct option given		(2)	DNA and RNA			
	0010				Column II		(3)	Nucleic acids and SER			
		Colun			Column II		(4)	Free ribosomes and RER			
	a.	Glyco	suria	i.	Accumulation of uric						
					acid in joints	74.		hich of the following terms describe human entition?			
	b.	Gout		ii.	Mass of crystallised		(1)	Thecodont, Diphyodont, Homodont			
					salts within the kidney		(1)	Thecodont, Diphyodont, Heterodont			
	c.	Renal	l calculi	iii.	Inflammation in		(2)	Pleurodont, Monophyodont, Homodont			
					glomeruli		(4)	Pleurodont, Diphyodont, Heterodont			
	d.		erular	iv.	Presence of glucose in						
		nephr	nus		urine	75.		ny ribosomes may associate with a single NA to form multiple copies of a polypeptide			
		a	b	С	d			ultaneously. Such strings of ribosomes are			
	(1)	iii	ii	iv	i		tern	ned as			
	(2)	i	ii	iii	iv		(1)	Polysome			
	(3)	ii	iii	i	iv		(2)	Polyhedral bodies			
	(4)	iv	i	ii	iii		(3)	Plastidome			
							(4)	Nucleosome			
72.	5					76.	Whi	ch of these statements is <i>incorrect</i> ?			
	belo		and se	lect t	the <i>correct</i> option given		(1)	Enzymes of TCA cycle are present in			
	Dero		Ŧ					mitochondrial matrix.			
		Colun			Column II		(2)	Glycolysis occurs in cytosol.			
		(Func	etion)		(Part of Excretory System)		(3)	Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.			
	a.	Ultra	filtratio	n	i. Henle's loop		(4)	Oxidative phosphorylation takes place in			
	b.	Conce	entratio	ı	ii. Ureter			outer mitochondrial membrane.			
		of uri	ne			77.		ch of the following events does <i>not</i> occur in			
	c.	Trans	sport of		iii. Urinary bladder			gh endoplasmic reticulum ?			
		urine					(1)	Protein folding			
	d.	Stora	ge of uri	ne	iv. Malpighian		(2) (3)	Protein glycosylation			
					corpuscle		(3) (4)	Cleavage of signal peptide Phospholipid synthesis			
					v. Proximal						
					convoluted tubule	78.		ect the <i>incorrect</i> match :			
		a	b	С	d		(1)	Lampbrush – Diplotene bivalents chromosomes			
	(1)	iv	v	ii	iii		(2)	Allosomes – Sex chromosomes			
	(2)	iv	i	ii	iii		(3)	Submetacentric – L-shaped chromososmes			
	(3)	v	iv	i	ii		(4)	chromosomes Polytene – Oocytes of amphibians			
_	(4)	v	iv	i	iii		(4)	chromosomes			

79.				g are pa	art o	f an operon <i>except</i>	84.			an amino acid derived	
	(1)	_	perator					hori	mone ?		
	(2)	C C							Epinephrine		
	(3)	(3) an enhancer							Ecdysone		
	(4) a promoter							(2)	-		
80.	A w	oman	has an			ndition on one of her		(3)	Estradiol		
		chrom erited	osomes by	. This	ch	romosome can be		(4)	Estriol		
	(1)	Only	daught	ters			85.	Whi	ch of the following st	ructures or regions is	
	(2)	Only	sons					inco	orrectly paired with it	s function ?	
	(3)		grando					(1)	Medulla oblongata :	controls respiration	
81.	(4) Mat		sons ai	-		s umn I with those in			C	and cardiovascular reflexes.	
010		ımn I				orrect option given		(2)	Limbic system :	consists of fibre tracts that	
		low : Column I Column II								interconnect different regions of	
	a.	Proli	ferative	e Phase	i.	Breakdown of endometrial lining				brain; controls movement.	
	b.	Secr	etory Pl	nase	ii.	Follicular Phase		(3)	Hypothalamus :	production of	
	c.		struatio	n		Luteal Phase				releasing hormones and regulation of temperature,	
		a	b	С						hunger and thirst.	
	(1) (2)	iii i	ii iii	i ii				(4)	Corpus callosum :	band of fibers connecting left and	
	(3)	ii 	iii	i 						right cerebral hemispheres.	
	(4)	iii	i	ii			86.			hormones can play a	
82.		-		go de V	/ries	, the mechanism of		(1)	ificant role in osteopor Aldosterone and Prol		
		ution			, <b>.</b>						
	(1)	Salta	iple ste	p muta	tions			(2) (3)	Progesterone and Ald		
	(2)			voriatio	na				Estrogen and Parathy Parathyroid hormone	-	
	(3) (4)	<ul><li>(3) Phenotypic variations</li><li>(4) Minor mutations</li></ul>						(4)	Paratnyroid normone	and Profactin	
83.					-	nce from the coding be the corresponding			transparent lens in th blace by	e human eye is held in	
			of the tr					(1)	ligaments attached to	o the ciliary body	
	(1) AGGUAUCGCAU							(2)	(2) ligaments attached to the iris		
	(2)	UGG	TUTCO	GCAT				(3)	smooth muscles attac	ched to the iris	
	(3)	ACC	UAUG	CGAU				(4)	smooth muscles attac	ched to the ciliary body	
	(4)	UCC	AUAG	CGUA							

88.	-	resents	f the s the lu na, resp	-	ondit	options correctly cions in asthma and		(1)	parian strips occur in Epidermis
	(1)	Infla		n of	bro	onchioles; Decreased		(2) (3)	Pericycle Cortex
	(2)		eased nu iratory s			oronchioles; Increased	92.	(4) Plan	Endodermis ats having little or no secondary growth are
	(3)		eased mmatio	respi n of bi				(1) (2)	Grasses Deciduous angiosperms
	(4)		eased mmatio	respi n of bi				(2) (3) (4)	Conifers Cycads
89.		umn I				blumn I with those in correct option given	<i></i>		umatophores occur in Halophytes
	Deru	Colu	mn I			Column II		(2)	Free-floating hydrophytes
	0		uspid va	1170	i.	Between left atrium		(3)	Carnivorous plants
	a.	Inci	ispiù va	ive	1.	and left ventricle		(4)	Submerged hydrophytes
	b.	Bicu	spid val	ve	ii.	Between right	94.	Swe	et potato is a modified
			-			ventricle and		(1)	Stem
						pulmonary artery		(2)	Adventitious root
	c.	Semi	ilunar v	alve	iii.	Between right		(3)	Tap root
		atrium and right	atrium and right ventricle		(4)	Rhizome			
		a	b	С		Venterfore	95.		ondary xylem and phloem in dicot stem are
	(1)	iii	i	ii				(1)	luced by
	(2)	i	iii	ii				(1) (2)	Apical meristems Vascular cambium
	(3)	i	ii	iii				(2) $(3)$	Phellogen
	(4)	ii	i	iii				(4)	Axillary meristems
90.			-	-		olumn I with those in	- yn		ch of the following statements is <i>correct</i> ?
	belo	w:		elect	tne	correct option given		(1)	Ovules are not enclosed by ovary wall in gymnosperms.
	a.	Colu Tida	l volume	e		Column II i. 2500 – 3000 mL		(2)	Selaginella is heterosporous, while Salvinia is homosporous.
	b.	Inspi	iratory ]	Reserv	ve	ii. 1100 – 1200 mL		(3)	Horsetails are gymnosperms.
		volui	me					(4)	Stems are usually unbranched in both
	c.	Expi volui	ratory I me	Reserv	e	iii. 500 – 550 mL	97.	Solo	Cycas and Cedrus. ct the <b>wrong</b> statement :
	d.	Resid	dual vol	ume		iv. 1000 – 1100 mL	91.		-
		a	b	c		d		(1)	Cell wall is present in members of Fungi and Plantae.
	(1)	iii	ii	i		iv		(2)	Mushrooms belong to Basidiomycetes.
	(2)	iii	i	iv		ii		(3)	Pseudopodia are locomotory and feeding structures in Sporozoans.
	(3)	i	iv	ii		iii		(4)	-
	(4)	iv	iii	ii		i		(-)	in all kingdoms except Monera.
								(4)	Mitochondria are the powerhouse of the

98.	Mat	ch the	items	given	ı in Colum	n I with those in	102.	Whie	ch of the following elements is responsible for
000						ect option given		maiı	ntaining turgor in cells ?
	belo							(1)	Magnesium
		Colun	ın I		Column I	η		(2)	Sodium
	0		arium	÷		ce having a		(3)	Potassium
	a.	Tierpa	anum	1.	_	of preserved		(4)	Calcium
						d animals.	103.	Oxyg	gen is <i>not</i> produced during photosynthesis by
	1.	17		••	-			(1)	Green sulphur bacteria
	b.	Key		ii.		t enumerates		(2)	Nostoc
						ally all the		(3)	Cycas
					-	und in an area		(4)	Chara
						f description entification.	104.	Doul	ble fertilization is
		Л			-			(1)	Fusion of two male gametes of a pollen tube
	c.	Muse	eum	iii.	-	where dried and		(-)	with two different eggs
						lant specimens on sheets are		(2)	Fusion of one male gamete with two polar
						on sheets are			nuclei
	d.	Catal	00010		kept.	containing a list		(3)	Fusion of two male gametes with one egg
	u.	Gata	logue	1V.		ters and their		(4)	Syngamy and triple fusion
						s which are	105.	Whie	ch one of the following plants shows a very
						identification of			e relationship with a species of moth, where
					various ta				e of the two can complete its life cycle without
		a	b	с	d	ixu.			other?
	(1)	a i		iii				(1)	Hydrilla
			iv ii					(2)	Yucca
	(2)	iii 		i 	iv			(3)	Banana
	(3)	ii 	iv	iii				(4)	Viola
	(4)	iii	iv	i	ii		106.		en grains can be stored for several years in
99.	Win	aed no	llen or	ains a	are present	tin		-	id nitrogen having a temperature of
	(1)	Must	-	anns c	are present			(1)	– 120°C
	(2)	Cycas						(2)	– 80°C
	( <b>2</b> )	Mang						(3)	$-196^{\circ}\mathrm{C}$
	(4)	Pinus						(4)	$-160^{\circ}\mathrm{C}$
	( - )		-				107.	Wha	t is the role of NAD <sup>+</sup> in cellular
100.	Afte	r kary	ogamy	follo	wed by me	eiosis, spores are		resp	iration ?
	proc	luced e	exogen	ously	in			(1)	It functions as an enzyme.
	(1)	Neur	ospora	ţ				(2)	It functions as an electron carrier.
	(2)	Altern	naria					(3)	It is a nucleotide source for ATP synthesis.
	(3) Agaricus							(4)	It is the final electron acceptor for anaerobic
	(4)	Sacch	harom	yces					respiration.
101	Wh:	ah ana		~~~~	matched	)	108.	In w	which of the following forms is iron absorbed
101.					matched ?			by p	lants ?
	(1) (2)		-	-		Polysiphonia Brown algae		(1)	Ferric
	(2) $(3)$	-	na cup	-	-	Marchantia		(2)	Ferrous
			-					(3)	Free element
	(4)	Unice	ellular	orgai	nism –	Chlorella		(4)	Both ferric and ferrous


109.	The stage during which separation of the paired	117.	Select the <i>correct</i> match :
1000	homologous chromosomes begins is		(1) Alec Jeffreys – Streptococcus
	(1) Pachytene		pneumoniae
	(2) Diplotene		(2) Alfred Hershey and – TMV
	(3) Diakinesis		Martha Chase
	(4) Zygotene		(3) Matthew Meselson – Pisum sativum
110.	Which of the following is true for nucleolus ?		and F. Stahl
	(1) Larger nucleoli are present in dividing cells.		(4) Francois Jacob and – <i>Lac</i> operon
	(2) It is a membrane-bound structure.		Jacques Monod
	(3) It takes part in spindle formation.	118.	The experimental proof for semiconservative
	(4) It is a site for active ribosomal RNA synthesis.		replication of DNA was first shown in a (1) Fungus
111.	The Golgi complex participates in		(2) Bacterium
	(1) Fatty acid breakdown		<ul><li>(3) Plant</li><li>(4) Virus</li></ul>
	(2) Formation of secretory vesicles	110	
	(3) Respiration in bacteria	119.	Offsets are produced by (1) Meiotic divisions
	(4) Activation of amino acid		<ol> <li>Mitotic divisions</li> <li>Mitotic divisions</li> </ol>
112.	Which of the following is $not$ a product of light		(3) Parthenocarpy
	reaction of photosynthesis ?		(4) Parthenogenesis
	(1) ATP	120.	Which of the following flowers only once in its
	(2) NADH		life-time ?
	(3) NADPH		(1) Bamboo species
	(4) Oxygen		(2) Jackfruit
113.	Stomatal movement is <i>not</i> affected by		<ul><li>(3) Mango</li><li>(4) Papaya</li></ul>
	(1) Temperature	101	
	<ul> <li>(2) Light</li> <li>(3) O<sub>2</sub> concentration</li> </ul>	121.	Which of the following has proved helpful in preserving pollen as fossils ?
	2		(1) Pollenkitt
	(4) $CO_2$ concentration		(2) Cellulosic intine
114.	Which among the following is <b>not</b> a prokaryote ?		(3) Oil content
	(1) Saccharomyces		(4) Sporopollenin
	(2) Mycobacterium (2) Nextee	122.	Which of the following pairs is <i>wrongly</i>
	<ul><li>(3) Nostoc</li><li>(4) Oscillatoria</li></ul>		matched ?
115.	The two functional groups characteristic of		(1) Starch synthesis in pea : Multiple alleles
119.	sugars are		(2) ABO blood grouping : Co-dominance
	(1) hydroxyl and methyl		(3) XO type sex : Grasshopper
	<ul><li>(2) carbonyl and methyl</li></ul>		determination
	<ul><li>(3) carbonyl and phosphate</li></ul>		(4) T.H. Morgan : Linkage
	<ul><li>(4) carbonyl and hydroxyl</li></ul>	123.	Select the <i>correct</i> statement :
116.	Stomata in grass leaf are		(1) Franklin Stahl coined the term "linkage".
	(1) Dumb-bell shaped		(2) Punnett square was developed by a British
	<ul><li>(2) Kidney shaped</li></ul>		scientist.
	(3) Rectangular		(3) Spliceosomes take part in translation.
	(4) Barrel shaped		(4) Transduction was discovered by S. Altman.

124.	The	correct order of steps in	n Polymerase Chain	130.	Nich	le is
		ction (PCR) is	·		(1)	all the biological factors in the organism's
	(1)	Extension, Denaturation	n, Annealing			environment
	(2)	Annealing, Extension, I			(2)	the physical space where an organism lives
	(3)	Denaturation, Extension	· · ·		(3)	the range of temperature that the organism
	(4)	Denaturation, Annealin	g, Extension		$(\mathbf{A})$	needs to live
125.		India, the organisatio	-		(4)	the functional role played by the organism where it lives
		ssing the safety of intr ified organisms for public		191	Whi	ch of the following is a secondary pollutant ?
	(1)	Indian Council of Medic		101.	(1)	CO
	(1)	Council for Scientifi				
	(2)	Research (CSIR)			(2)	CO <sub>2</sub>
	(3)	Research Committe	e on Genetic		(3)	$SO_2$
		Manipulation (RCGM)			(4)	$O_3$
	(4)	Genetic Engineering A	ppraisal Committee	132.	Nata	ality refers to
		(GEAC)			(1)	Death rate
126.		ch of the following is co	-		(2)	Birth rate
		or for introducing a DNA phocytes ?	Tragment in numan		(3)	Number of individuals leaving the habitat
	(1)	Retrovirus			(4)	Number of individuals entering a habitat
	(2)	Ti plasmid		133.	Wor	ld Ozone Day is celebrated on
	(3)	$\lambda$ phage			(1)	$5^{ m th}$ June
	(4)	pBR 322			(2)	21 <sup>st</sup> April
127.	Use	of bioresources by mult	inational companies		(3)	16 <sup>th</sup> September
		organisations without au				-
	(1)	erned country and its peo Bio-infringement	ople is called		(4)	22 <sup>nd</sup> April
	(1) $(2)$	Biopiracy		134.		t type of ecological pyramid would be
	(3)	Biodegradation			obta	ined with the following data ? Secondary consumer : 120 g
	(4)	Bioexploitation				Primary consumer : 60 g
198		ew' variety of rice was p	atantad by a foraign			Primary producer : 10 g
120.		pany, though such va			(1)	Inverted pyramid of biomass
	pres	ent in India for a long tin	ne. This is related to		(2)	Pyramid of energy
	(1)	Co-667			(3)	Upright pyramid of numbers
	(2)	Sharbati Sonora			(4)	Upright pyramid of biomass
	(3)	Lerma Rojo Barrati		135	In st	tratosphere, which of the following elements
100	(4)	Basmati		100.	acts	as a catalyst in degradation of ozone and
129.		ct the <i>correct</i> match :	NY 1 · · · 1			ase of molecular oxygen ?
	(1)	Ribozyme	- Nucleic acid		(1)	Carbon
	(2)	$F_2 \times Recessive parent$	<ul> <li>Dihybrid cross</li> </ul>		(2)	Cl
	(3)	T.H. Morgan	- Transduction		(3)	Fe
	(4)	G. Mendel	– Transformation	l	(4)	Oxygen


- 136. A metallic rod of mass per unit length 140. An object is placed at a distance of 40 cm from a  $0.5 \text{ kg m}^{-1}$  is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
  - 7·14 A (1)
  - 5.98 A (2)
  - 14·76 A (3)
  - 11.32 A(4)
- 137. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from
  - the current source (1)
  - (2)the magnetic field
  - the lattice structure of the material of the (3)rod
  - (4)the induced electric field due to the changing magnetic field
- 138. An inductor 20 mH, a capacitor 100 µF and a resistor 50  $\Omega$  are connected in series across a source of emf,  $V = 10 \sin 314 t$ . The power loss in the circuit is
  - (1) 0.79 W
  - (2)0.43 W
  - 2.74 W(3)
  - (4)1.13 W
- **139.** Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is
  - (1)  $40 \Omega$
  - (2) $25 \Omega$
  - (3) $250 \Omega$
  - (4) $500 \Omega$

- concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
  - (1)30 cm away from the mirror
  - (2)36 cm away from the mirror
  - (3)30 cm towards the mirror
  - 36 cm towards the mirror (4)
- 141. An em wave is propagating in a medium with a velocity  $\vec{V} = V\hat{i}$ . The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along
  - (1)- z direction
  - (2)+ z direction
  - (3)- y direction
  - (4)- x direction
- 142. The refractive index of the material of a prism is  $\sqrt{2}$  and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is
  - (1)60°
  - (2) $45^{\circ}$
  - $30^{\circ}$ (3)
  - (4)zero
- 143. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
  - (1) 0.138 H
  - (2)138·88 H
  - (3)1.389 H
  - (4)13.89 H

144. In the circuit shown in the figure, the input voltage  $V_i$  is 20 V,  $V_{BE} = 0$  and  $V_{CE} = 0$ . The values of  $I_B$ ,  $I_C$  and  $\beta$  are given by 147. Unpolarised light is incident from air on a plane surface of a material of refractive index ' $\mu$ '. At a particular angle of incidence 'i', it is found that



- (1)  $I_B = 40 \ \mu A, \ I_C = 10 \ mA, \ \beta = 250$
- (2)  $I_B = 25 \ \mu A, \ I_C = 5 \ mA, \ \beta = 200$
- (3)  $I_B = 20 \ \mu A, \ I_C = 5 \ mA, \ \beta = 250$
- (4)  $I_B = 40 \ \mu A, \ I_C = 5 \ mA, \ \beta = 125$
- 145. In a p-n junction diode, change in temperature due to heating
  - (1) affects only reverse resistance
  - (2) affects only forward resistance
  - (3) does not affect resistance of p-n junction
- 146. In the combination of the following gates the output Y can be written in terms of inputs A and B as



- (1)  $\overline{\mathbf{A} \cdot \mathbf{B}}$
- (2) A.  $\overline{B}$  +  $\overline{A}$  . B
- (3)  $\overline{\mathbf{A} \cdot \mathbf{B}} + \mathbf{A} \cdot \mathbf{B}$
- (4)  $\overline{A+B}$

- 7. Unpolarised light is incident from air on a plane surface of a material of refractive index ' $\mu$ '. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation ?
  - (1) Reflected light is polarised with its electric vector parallel to the plane of incidence
  - (2) Reflected light is polarised with its electric vector perpendicular to the plane of incidence

(3) 
$$i = \sin^{-1}\left(\frac{1}{\mu}\right)$$

- (4)  $i = \tan^{-1}\left(\frac{1}{\mu}\right)$
- 148. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength  $\lambda$  of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0.20°. To increase the fringe angular width to 0.21° (with same  $\lambda$  and D) the separation between the slits needs to be changed to
  - (1) 1·8 mm
  - $(2) \quad 1{\cdot}9 \text{ mm}$
  - $(3) \quad 2{\cdot}1 \text{ mm}$
  - (4) 1·7 mm
- **149.** An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
  - (1) small focal length and large diameter
  - (2) large focal length and small diameter
  - (3) large focal length and large diameter
  - (4) small focal length and small diameter

an electron in a Bohr orbit of the hydrogen atom. is

- (1)1:1
- (2)1:-1
- 2:-1(3)
- 1:-2(4)
- 151. An electron of mass m with an initial velocity  $\overrightarrow{V} = V_0 \overrightarrow{i} \quad (V_0 > 0) \text{ enters an electric field}$   $\overrightarrow{E} = - \overrightarrow{E_0} \overrightarrow{i} \quad (\overrightarrow{E_0} = \text{constant} > 0) \text{ at } t = 0. \text{ If } \lambda_0 \text{ is}$   $\textbf{155. The electrostatic force between the metal plates constant co$ its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is
  - (1)1)  $\frac{c}{\left(1+\frac{eE_0}{mV_0}t\right)}$  $(2) \quad \lambda_0 \left( 1 + \frac{eE_0}{mV_0} t \right)$
  - (3)  $\lambda_0 t$


  - (4)λο
- 152. For а radioactive material. half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
  - 20(1)
  - (2)10
  - (3)30
  - (4)15
- 153. When the light of frequency  $2v_0$  (where  $v_0$  is plate, the maximum velocity of electrons emitted is  $v_1$ . When the frequency of the incident radiation is increased to  $5v_0$ , the maximum velocity of electrons emitted from the same plate is  $v_2$ . The ratio of  $v_1$  to  $v_2$  is
  - (1) 1:2
  - (2)1:4
  - 4:1(3)
  - (4)2:1

- 150. The ratio of kinetic energy to the total energy of 154. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
  - 330 m/s (1)
  - (2)339 m/s
  - (3)350 m/s

  - of an isolated parallel plate capacitor C having a charge Q and area A, is
    - independent of the distance between the (1)plates.
    - (2)linearly proportional to the distance between the plates.
    - proportional to the square root of the (3)distance between the plates.
    - (4)inversely proportional to the distance between the plates.
  - 156. An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
    - (1)smaller
    - (2)5 times greater
    - (3)10 times greater
    - (4)equal
  - threshold frequency), is incident on a metal 157. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s<sup>2</sup> at a distance of 5 m from the mean position. The time period of oscillation is
    - (1) $2\pi s$
    - (2) $\pi s$
    - $2 \mathrm{s}$ (3)
    - (4) $1 \,\mathrm{s}$

- radiates maximum energy at wavelength,  $\lambda_0$ . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength  $\frac{3}{4}\lambda_0$ , the power radiated by it becomes nP. The value of n is
  - (1)Δ
  - $\frac{4}{3}$ (2)256(3)81 81 (4)256
- 159. Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by  $\Delta l$  on applying a force F. how much force is needed to stretch the second wire by the same amount?
  - (1)9 F
  - (2)6 F
  - 4 F (3)
  - F (4)
- **160.** A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to
  - $r^3$ (1)
  - $r^2$ (2)
  - $r^5$ (3)
  - $r^4$ (4)
- 161. A sample of 0.1 g of water at  $100^{\circ}$ C and normal pressure  $(1.013 \times 10^5 \text{ Nm}^{-2})$  requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167.1 cc, the change in internal energy of the sample, is
  - (1)104·3 J
  - 208·7 J (2)
  - (3) $42 \cdot 2 J$
  - 84·5 J (4)


- 158. The power radiated by a black body is P and it 162. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field E. Due to the force qE, its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
  - (1)2 m/s, 4 m/s
  - 1 m/s, 3 m/s (2)
  - (3)1 m/s, 3.5 m/s
  - 1.5 m/s, 3 m/s(4)
  - 163. A block of mass m is placed on a smooth inclined wedge ABC of inclination  $\theta$  as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and  $\theta$ for the block to remain stationary on the wedge is



$$(3) \quad a = g \cos \theta$$


- (4)  $a = g \tan \theta$
- The moment of the force,  $\vec{F} = 4\hat{i} + 5\hat{j} 6\hat{k}$  at 164. (2, 0, -3), about the point (2, -2, -2), is given by
  - (1)  $-8\hat{i} 4\hat{j} 7\hat{k}$ (2)  $-4\hat{i} - \hat{i} - 8\hat{k}$ (3)  $-7\hat{i} - 8\hat{j} - 4\hat{k}$ (4)  $-7\hat{i} - 4\hat{j} - 8\hat{k}$
- 165. A student measured the diameter of a small steel ball using a screw gauge of least count 0.001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of -0.004 cm, the correct diameter of the ball is
  - (1)0.521 cm
  - (2)0.525 cm
  - (3)0.023 cm
  - 0.529 cm (4)

- 166. A moving block having mass m, collides with 170. A solid sphere is rotating freely about its another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v. then the value of coefficient of restitution (e) will be
  - (1)0.5
  - (2)0.25
  - (3)0.8
  - (4)0.4
- **167.** A body initially at rest and sliding along a frictionless track from a height h (as shown in **171**. the figure) just completes a vertical circle of diameter AB = D. The height h is equal to



- 168. Three objects, A : (a solid sphere), B : (a thin circular disk) and C : (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed  $\omega$  about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation
  - $(1) \quad W_C > W_B > W_A$
  - (2)  $W_A > W_B > W_C$
  - (3)  $W_{\mathbf{B}} > W_{\mathbf{A}} > W_{\mathbf{C}}$
  - $(4) \quad W_{A} > W_{C} > W_{B}$
- 169. Which one of the following statements is incorrect?
  - (1)Rolling friction is smaller than sliding friction.
  - (2)Limiting value of static friction is directly proportional to normal reaction.
  - (3)Frictional force opposes the relative motion.
  - (4)Coefficient sliding of friction has dimensions of length.

- symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere?
  - (1)Angular velocity
  - (2)Moment of inertia
  - (3)Rotational kinetic energy
  - (4)Angular momentum
- The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are  $K_A$ ,  $K_B$  and  $K_C$ , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then




- (1)  $K_A < K_B < K_C$
- (2)  $K_A > K_B > K_C$
- (3)  $K_{\rm B} < K_{\rm A} < K_{\rm C}$
- (4)  $K_{\rm B} > K_{\Delta} > K_{\rm C}$
- 172. A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy  $(K_t)$  as well as rotational kinetic energy  $(K_r)$  simultaneously. The ratio  $K_t : (K_t + K_r)$  for the sphere is
  - 7:10(1)
  - (2)5:7
  - (3)10:7
  - (4)2:5
- 173. If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is *not* correct?
  - (1)Raindrops will fall faster.
  - (2)Walking on the ground would become more difficult.
  - (3)Time period of a simple pendulum on the Earth would decrease.
  - 'g' on the Earth will not change. (4)

**174.** At what temperature will the rms speed of **178.** A carbon resistor of  $(47 \pm 4.7)$  k $\Omega$  is to be marked oxygen molecules become just sufficient for escaping from the Earth's atmosphere? (Given:

Mass of oxygen molecule (m) =  $2.76 \times 10^{-26}$  kg


Boltzmann's constant  $k_B = 1.38 \times 10^{-23} \text{ J K}^{-1}$ )

- $2.508 \times 10^4 \text{ K}$ (1)
- (2) $8.360 \times 10^4 \text{ K}$
- $5.016 \times 10^4$  K (3)
- $1.254 \times 10^4 \text{ K}$ (4)
- 175. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is



- 176. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is
  - (1)13.2 cm
  - (2)8 cm
  - (3)12.5 cm
  - (4)16 cm
- 177. The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
  - (1)26.8%
  - (2)20%
  - 6.25%(3)
  - (4)12.5%

- for with rings of different colours its identification. The colour code sequence will be
  - (1) Violet Yellow Orange Silver
  - (2)Yellow - Violet - Orange - Silver
  - (3)Yellow - Green - Violet - Gold
  - (4)Green - Orange - Violet - Gold
- 179. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
  - (1)10
  - (2)11
  - (3)20
  - 9 (4)
- 180. A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?



# SPACE FOR ROUGH WORK

# SPACE FOR ROUGH WORK

### **Read carefully the following instructions :**

- 1. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. **Cases where a** candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 4. Use of Electronic/Manual Calculator is prohibited.
- 5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

# BOOKLET CODE - CHLAA (FF)

Q.No.	Answer
1.	(2)
2.	(2)
3.	(4)
4.	(1)
5.	(1)
6.	(3)
7.	(1)
8.	(3)
9.	(3)
10.	(2)
11.	(4)
12.	(4)
13.	(4)
14.	(1)
15.	(3)
16.	(2)
17.	(3)
18.	(4)
19.	(1)
20.	(2)
21.	(3)
22.	(1)*
23.	(1)
24.	(4)
25.	(1)
26.	(4)
27.	(4)
28.	(4)
29.	(2)
30.	(1)
31.	(2)
32.	(3)
33.	(4)
34.	(1)
35.	(4)
<u> </u>	(1)
	(3)
37.	
38.	(2)
39.	(4)
40.	(1)
41.	(1)
42.	(4)
43.	(3)
44.	(2)
45.	(3)

Q.No.	Answer
46.	(3)
47.	(1)
48.	(4)
49.	(1)
50.	(1)
51.	(2)
52.	(4)
53.	(2)
54.	(3)
55.	(4)
56.	(4)
57.	(1)
58.	(2)
59.	(4)
60.	(2)
61.	(2)
62.	(3)
63.	(1)
64.	(1)
65.	(1)
66.	(1)
67.	(3)
68.	(2)
<u>69</u> .	(3)
70.	(4)
71.	(4)
72.	(2)
73.	(4)
74.	(2)
75.	(1)
76.	(4)
77.	(4)
78.	(4)
79.	(3)
80.	(4)
81.	(3)
82.	(3) (2)
83.	(1)
84.	(1)
85.	(1)
86.	(3)
87.	(1)
88.	(1) (1)
89.	(1)
00.	

Q.No.	Answer		
91.	(4)		
92.	(1)		
93.	(1)		
94.	(2)		
95.	(2)		
96.	(1)		
97.	(3)		
98.	(4)		
99.	(4)		
100.	(3)		
101.	(1)		
101.	(3)		
103.	(1)		
100.	(4)		
104.	(2)		
106.	(3)		
100.	(2)		
107.	(1)		
109.	(2)		
110.	(4)		
111.	(2)		
112.	(2)		
113.	(3)		
114.	(3) (1)		
115.	(4)		
116.	(1)		
117.	(4)		
118.	(2)		
119.	(2)		
120.	(1)		
121.	(4)		
122.	(1)		
123.	(2)		
124.	(4)		
125.	(4)		
126.	(1)		
127.	(2)		
128.	(4)		
129.	(1)		
130.	(4)		
131.	(4)		
132.	(2)		
133.	(3)		
134.	(1)		
135	(2)		

<u></u>	_				
Q.No.	Answer	Q.No		Q.No.	Answe
46.	(3)	91.	(4)	136.	(4)
47.	(1)	92.	(1)	137.	(1)
48.	(4)	93.	(1)	138.	(1)
49.	(1)	94.	(2)	139.	(3)
50.	(1)	95.	(2)	140.	(2)
51.	(2)	96.	(1)	141.	(2)
52.	(4)	97.	(3)	142.	(2)
53.	(2)	98.	(4)	143.	(4)
54.	(3)	99.	(4)	144.	(4)
55.	(4)	100.	(3)	145.	(4)
56.	(4)	101.	(1)	146.	(2)
57.	(1)	102.	(3)	147.	(2)
58.	(2)	103.	(1)	148.	(2)
59.	(4)	104.	(4)	149.	(3)
50.	(2)	105.	(2)	150.	(2)
61.	(2)	106.	(3)	151.	(1)
52.	(3)	107.	(2)	152.	(1)
5 <u>2.</u> 53.	(1)	108.	(1)	153.	(1)
64.	(2)	100.	(2)	154.	(2)
55.	(1)	110.	(4)	155.	(1)
6.	(1)	111.	(4)	156.	(1)
67.	(3)	112.	(2)	157.	(1)
57. 58.	(2)	112.	(3)	157.	(3)
		114.	(1)	159.	<u> </u>
70.	(3)	114.	(1)	160.	(1)
7 <u>0.</u> 71.		115.	· · ·		(3)
72.	(4)	117.	(1)	161.	(2)
	(2)	117.	(4)	162.	(2)
73.	(4)		(2)	163.	(4)
74.	(2)	119.	(2)	164.	(4)
75. 70	(1)	120.	(1)	165.	(4)
<u>′6.</u>	(4)	121.	(4)	166.	(2)
7.	(4)	122.	(1)	167.	(4)
'8.	(4)	123.	(2)	168.	(1)
9.	(3)	124.	(4)	169.	(4)
0.	(4)	125.	(4)	170.	(4)
31.	(3)	126.	(1)	171.	(2)
32.	(2)	127.	(2)	172.	(2)
33.	(1)	128.	(4)	173.	(4)
34.	(1)	129.	(1)	174.	(2)
35.	(2)	130.	(4)	175.	(1)
36.	(3)	131.	(4)	176.	(1)
37.	(1)	132.	(2)	177.	(1)
38.	(1)	133.	(3)	178.	(2)
39.	(1)	134.	(1)	179.	(1)
90.	(2)	135.	(2)	180.	(1)