



Test Booklet Code

SS

This Booklet contains 24 pages.

Do not open this Test Booklet until you are asked to do so.

Read carefully the Instructions on the Back Cover of this Test Booklet.


Important Instructions:


- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on **Side-1** and **Side-2** carefully with **blue/black** ball point pen only.
- 2. The test is of **3 hours** duration and this Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one mark** will be deducted from the total scores. The maximum marks are 720.
- 3. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses.
- 4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 5. On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is **SS**. Make sure that the CODE printed on **Side-2** of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 8. Use of white fluid for correction is **not** permissible on the Answer Sheet.


Name of the Candidate (in Capitals) :		
Roll Number : in figures		
Candidate's Signature :	Invigilator's Signature :	
Facsimile signature stamp of		
Centre Superintendent :		


LAACH/SS/Page 1 English

1. A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?










- 2. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
 - (1) 9
 - (2) 20
 - (3) 11
 - (4) 10
- 3. A carbon resistor of $(47\pm4\cdot7)~k\Omega$ is to be marked with rings of different colours for its identification. The colour code sequence will be
 - (1) Green Orange Violet Gold
 - (2) Yellow Green Violet Gold
 - $(3) \quad Yellow-\ Violet-Orange-Silver$
 - (4) Violet Yellow Orange Silver


The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are K_A , K_B and K_C , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then



- $(1) \quad K_B > K_A > K_C$
- (2) $K_B < K_A < K_C$
- $(3) \quad K_{A} > K_{B} > K_{C}$
- $(4) \quad K_A < K_B < K_C$
- 5. If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is **not** correct?
 - (1) 'g' on the Earth will not change.
 - (2) Time period of a simple pendulum on the Earth would decrease.
 - (3) Walking on the ground would become more difficult.
 - (4) Raindrops will fall faster.
- **6.** A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy (K_t) as well as rotational kinetic energy (K_r) simultaneously. The ratio $K_t: (K_t + K_r)$ for the sphere is
 - (1) 2:5
 - (2) 10:7
 - (3) 5:7
 - (4) 7:10
- 7. A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere?
 - (1) Angular momentum
 - (2) Rotational kinetic energy
 - (3) Moment of inertia
 - (4) Angular velocity

- 8. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
 - (1) small focal length and small diameter
 - (2) large focal length and large diameter
 - (3) large focal length and small diameter
 - (4) small focal length and large diameter
- 9. Unpolarised light is incident from air on a plane surface of a material of refractive index '\u03c4'. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation?
 - $(1) \quad i = tan^{-1} \left(\frac{1}{\mu}\right)$
 - $(2) \quad i = \sin^{-1} \left(\frac{1}{\mu}\right)$
 - (3) Reflected light is polarised with its electric vector perpendicular to the plane of incidence
 - (4) Reflected light is polarised with its electric vector parallel to the plane of incidence
- 10. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength λ of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0·20°. To increase the fringe angular width to 0·21° (with same λ and D) the separation between the slits needs to be changed to
 - (1) 1·7 mm
 - (2) 2·1 mm
 - (3) 1·9 mm
 - (4) 1·8 mm

1. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is




- $(1) \quad \frac{2}{7}$
- (2) $\frac{1}{3}$
- $(3) \quad \frac{2}{3}$
- $(4) \frac{2}{5}$
- 12. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is
 - (1) 16 cm
 - (2) 12·5 cm
 - (3) 8 cm
 - (4) 13·2 cm
- 13. The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
 - (1) 12.5%
 - $(2) \quad 6.25\%$
 - (3) 20%
 - (4) 26.8%
- **14.** At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere?

(Given:

Mass of oxygen molecule (m) = 2.76×10^{-26} kg Boltzmann's constant $k_B = 1.38 \times 10^{-23}$ J K⁻¹)

- (1) $1.254 \times 10^4 \text{ K}$
- (2) $5.016 \times 10^4 \text{ K}$
- (3) $8.360 \times 10^4 \text{ K}$
- (4) $2.508 \times 10^4 \text{ K}$


- 15. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field \overrightarrow{E} . Due to the force $q\overrightarrow{E}$, its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
 - (1) 1.5 m/s, 3 m/s
 - (2) 1 m/s, 3·5 m/s
 - (3) 1 m/s, 3 m/s
 - (4) 2 m/s, 4 m/s
- 16. A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and θ for the block to remain stationary on the wedge is




- (1) $a = g \tan \theta$
- (2) $a = g \cos \theta$
- (3) $a = \frac{g}{\sin \theta}$
- (4) $a = \frac{g}{\csc \theta}$
- 17. A student measured the diameter of a small steel ball using a screw gauge of least count 0.001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of 0.004 cm, the correct diameter of the ball is
 - (1) 0.529 cm
 - (2) 0.053 cm
 - (3) 0.525 cm
 - (4) 0.521 cm
- 18. The moment of the force, $\overrightarrow{F} = 4 \overrightarrow{i} + 5 \overrightarrow{j} 6 \overrightarrow{k}$ at (2, 0, -3), about the point (2, -2, -2), is given by
 - $(1) -7\hat{i} -4\hat{j} -8\hat{k}$
 - $(2) -7\hat{i} -8\hat{j} -4\hat{k}$
 - (3) $-4\hat{i}-\hat{j}-8\hat{k}$
 - $(4) 8\hat{i} 4\hat{j} 7\hat{k}$

- 9. An em wave is propagating in a medium with a velocity $\overrightarrow{V} = \overrightarrow{V}$ i. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along
 - (1) x direction
 - (2) y direction
 - (3) + z direction
 - (4) z direction
- **20.** The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
 - (1) 13·89 H
 - (2) 1·389 H
 - (3) 138·88 H
 - (4) 0·138 H
- 21. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
 - (1) 36 cm towards the mirror
 - (2) 30 cm towards the mirror
 - (3) 36 cm away from the mirror
 - (4) 30 cm away from the mirror
- 22. The refractive index of the material of a prism is $\sqrt{2}$ and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is
 - (1) zero
 - (2) 30°
 - (3) 45°
 - (4) 60°

23. In the circuit shown in the figure, the input voltage V_i is 20 V, V_{BE} = 0 and V_{CE} = 0. The values of I_B , I_C and β are given by



- (1) $I_B = 40 \mu A, I_C = 5 mA, \beta = 125$
- (2) $I_B = 20 \mu A$, $I_C = 5 mA$, $\beta = 250$
- (3) $I_B = 25 \mu A$, $I_C = 5 mA$, $\beta = 200$
- (4) $I_B = 40 \mu A$, $I_C = 10 \text{ mA}$, $\beta = 250$
- **24.** In a p-n junction diode, change in temperature due to heating
 - (1) affects the overall V I characteristics of p-n junction
 - $(2) \quad \ \ does \ not \ affect \ resistance \ of \ p\text{-n junction}$
 - (3) affects only forward resistance
 - (4) affects only reverse resistance
- **25.** In the combination of the following gates the output Y can be written in terms of inputs A and B as



- $(1) \quad \overline{A+B}$
- (2) $\overline{A \cdot B} + A \cdot B$
- (3) $A \cdot \overline{B} + \overline{A} \cdot B$
- (4) $\overline{A \cdot B}$


- 6. The power radiated by a black body is P and it radiates maximum energy at wavelength, λ_0 . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength $\frac{3}{4}\lambda_0$, the power radiated by it becomes nP. The value of n is
 - $(1) \quad \frac{81}{256}$
 - $(2) \quad \frac{256}{81}$
 - (3) $\frac{4}{3}$
 - $(4) \frac{3}{4}$
- **27.** Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by Δl on applying a force F, how much force is needed to stretch the second wire by the same amount?
 - (1) F
 - (2) 4 F
 - (3) 6 F
 - (4) 9 F
- 28. A sample of 0·1 g of water at 100°C and normal pressure (1·013 × 10⁵ Nm⁻²) requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167·1 cc, the change in internal energy of the sample, is
 - (1) 84.5 J
 - (2) 42.2 J
 - (3) 208·7 J
 - (4) 104.3 J
- **29.** A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to
 - (1) r^4
 - (2) r^5
 - (3) r^2
 - (4) r^3

- 30. A metallic rod of mass per unit length 0.5 kg m⁻¹ is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
 - (1) 11·32 A
 - (2) 14.76 A
 - $(3) \quad 5.98 \text{ A}$
 - (4) 7·14 A
- 31. An inductor 20 mH, a capacitor 100 μF and a resistor 50 Ω are connected in series across a source of emf, $V=10\sin 314$ t. The power loss in the circuit is
 - (1) 1·13 W
 - (2) 2·74 W
 - (3) 0·43 W
 - (4) 0.79 W
- 32. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from
 - (1) the induced electric field due to the changing magnetic field
 - (2) the lattice structure of the material of the rod
 - (3) the magnetic field
 - (4) the current source
- **33.** Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is
 - (1) 500Ω
 - (2) 250Ω
 - (3) 25 Ω
 - (4) 40Ω

- 34. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
 - (1) 300 m/s
 - (2) 350 m/s
 - (3) 339 m/s
 - (4) 330 m/s
- **35.** The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is
 - (1) inversely proportional to the distance between the plates.
 - (2) proportional to the square root of the distance between the plates.
 - (3) linearly proportional to the distance between the plates.
 - (4) independent of the distance between the plates.
- **36.** A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s² at a distance of 5 m from the mean position. The time period of oscillation is
 - (1) 1 s
 - (2) 2 s
 - (3) πs
 - (4) $2\pi s$
- distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
 - (1) equal
 - (2) 10 times greater
 - (3) 5 times greater
 - (4) smaller

- 38. An electron of mass m with an initial velocity $\vec{V} = \overset{\wedge}{V_0} \hat{i} \ (V_0 > 0) \quad \text{enters} \quad \text{an electric field}$ $\vec{E} = \overset{\wedge}{E_0} \hat{i} \ (E_0 = \text{constant} > 0) \ \text{at } t = 0. \ \text{If } \lambda_0 \ \text{is}$ its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is
 - (1) λ_0
 - (2) $\lambda_0 t$
 - $(3) \quad \lambda_0 \left(1 + \frac{eE_0}{mV_0} t \right)$
 - $(4) \qquad \frac{\lambda_0}{\left(1+\frac{eE_0}{mV_0}t\right)}$
- **39.** The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is
 - (1) 1:-2
 - (2) 2:-1
 - (3) 1:-1
 - (4) 1:1
- **40.** When the light of frequency $2v_0$ (where v_0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v_1 . When the frequency of the incident radiation is increased to $5v_0$, the maximum velocity of electrons emitted from the same plate is v_2 . The ratio of v_1 to v_2 is
 - (1) 2:1
 - (2) 4:1
 - (3) 1:4
 - (4) 1:2
- **41.** For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
 - (1) 15
 - (2) 30
 - (3) 10
 - (4) 20

- Three objects, A: (a solid sphere), B: (a thin circular disk) and C: (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed ω about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation
 - $(1) \quad \mathbf{W}_{\mathrm{A}} > \mathbf{W}_{\mathrm{C}} > \mathbf{W}_{\mathrm{B}}$
 - $(2) \quad \mathbf{W}_{\mathrm{B}} > \mathbf{W}_{\mathrm{A}} > \mathbf{W}_{\mathrm{C}}$
 - $(3) \quad W_A > W_B > W_C$
 - $(4) \quad W_C > W_B > W_A$
- **43.** A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to



- $(1) \quad \frac{5}{4}D$
- $(2) \qquad \frac{7}{5} \, D$
- (3) D
- $(4) \quad \frac{3}{2} D$
- **44.** Which one of the following statements is *incorrect*?
 - (1) Coefficient of sliding friction has dimensions of length.
 - (2) Frictional force opposes the relative motion.
 - (3) Limiting value of static friction is directly proportional to normal reaction.
 - (4) Rolling friction is smaller than sliding friction.
- 45. A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be
 - $(1) \quad 0.4$
 - $(2) \quad 0.8$
 - $(3) \quad 0.25$
 - $(4) \quad 0.5$

46.		similarity of bone structure in the forelimbs nany vertebrates is an example of Adaptive radiation	52.		umn]	ŭ			umn I with those	
	(2)	Convergent evolution		beic		7		Oni		
	(3)	Analogy			Coli	ımn I		Col	lumn II	
47.	(4)	Homology which disease does mosquito transmitted		a.	Glyo	cosuria	i.		imulation of uric in joints	
1 11	path	nogen cause chronic inflammation of phatic vessels?		b.	Gou	t	ii.		s of crystallised s within the kidne	эy
	(1) (2)	Amoebiasis Ringworm disease		c.	Ren	al calculi	iii.		ammation in neruli	
	(3) (4)	Ascariasis Elephantiasis		d.		nerular hritis	iv.	Pres urin	ence of glucose in	1
48.		version of milk to curd improves its ritional value by increasing the amount of			a	b	c	d		
	(1)	Vitamin E		(1)	iv	i	ii	ii	i	
	(2)	Vitamin B ₁₂		(2)	ii	iii	i	iv	7	
	(3)	Vitamin A		(3)	i	ii	iii	iv	7	
	(4)	Vitamin D		(4)	iii	ii	iv	i		
49.		ch of the following characteristics represent eritance of blood groups' in humans ?	53.						umn I with those	in
	a.	Dominance		Col	umn]	II and se	elect t	the c	orrect option giv	ven
	b.	Co-dominance		belo	w:					
	c.	Multiple allele			Coli	$\iota mn~I$			$Column\ II$	
	d.	Incomplete dominance			(Fur	nction)			(Part of Excretor)	y
	e.	Polygenic inheritance							System)	
	(1)	a, c and e		a.	Ultr	afiltratio	n	i.	Henle's loop	
	(2)	b, d and e		h	Con	centratio	n	ii.	Ureter	
	(3)	a, b and c		b.	of u		11	11.	Oreter	
	(4)	b, c and e		_				:::	TI	
50.		ong the following sets of examples for ergent evolution, select the <i>incorrect</i> option:		c.	urin	nsport of e		111.	Urinary bladder	
	(1)	Eye of octopus, bat and man		d.	Stor	age of ur	ine	iv.	Malpighian	
	(2)	Brain of bat, man and cheetah							corpuscle	
	(3)	Heart of bat, man and cheetah						v.	Proximal	
	(4)	Forelimbs of man, bat and cheetah							convoluted tubul	.e
51.		ch of the following is <i>not</i> an autoimmune ase?		(1)	a	b	c	d 		
	(1)	Vitiligo		(1)	V	iv	i	ii		
	(2)	Alzheimer's disease		(2)	v	iv	i	ii		
	(3)	Rheumatoid arthritis		(3)	iv	i	ii	ii	i	
	(4)	Psoriasis		(4)	iv	v	ii	ii	i	

- **54.** The contraceptive 'SAHELI'
 - (1) is a post-coital contraceptive.
 - (2) is an IUD.
 - (3) increases the concentration of estrogen and prevents ovulation in females.
 - (4) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
- **55.** The amnion of mammalian embryo is derived from
 - (1) ectoderm and endoderm
 - (2) mesoderm and trophoblast
 - (3) endoderm and mesoderm
 - (4) ectoderm and mesoderm
- **56.** The difference between spermiogenesis and spermiation is
 - (1) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.
 - (2) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
 - (3) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.
 - (4) In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
- **57.** Hormones secreted by the placenta to maintain pregnancy are
 - (1) hCG, progestogens, estrogens, glucocorticoids
 - (2) hCG, hPL, progestogens, estrogens
 - (3) hCG, hPL, estrogens, relaxin, oxytocin
 - (4) hCG, hPL, progestogens, prolactin

- **58.** Which of the following gastric cells indirectly help in erythropoiesis?
 - (1) Parietal cells
 - (2) Goblet cells
 - (3) Mucous cells

O.1..... I

- (4) Chief cells
- 59. Match the items given in Column I with those in Column II and select the *correct* option given below:

 α 1 τ

	Colur	nn 1		Column II
a.	Fibrii	nogen	i.	Osmotic balance
b.	Globu	ılin	ii.	Blood clotting
c.	Albur	nin	iii.	Defence mechanism
	a	b	\mathbf{c}	
(1)	ii	iii	i	
(2)	i	iii	ii	
(3)	i	ii	iii	
(4)	iii	ii	i	

- **60.** Calcium is important in skeletal muscle contraction because it
 - (1) prevents the formation of bonds between the myosin cross bridges and the actin filament.
 - (2) detaches the myosin head from the actin filament.
 - (3) activates the myosin ATPase by binding to it.
 - (4) binds to troponin to remove the masking of active sites on actin for myosin.
- **61.** Which of the following is an occupational respiratory disorder?
 - (1) Emphysema
 - (2) Botulism
 - (3) Silicosis
 - (4) Anthracis

62.		ımn l	_	-			vith those in option given	67.	stra	nd of		What v	vill k	nce from the coding oe the corresponding
		Colu	mn I			Column	ı II		(1)		AUAGO		, c u 11	
	a.	Eutr	ophicati	ion	i.	UV-B ra	diation		(2)		UAUGO			
	b.	Sani	tary lan	dfill	ii.	Deforest	ation		(3)		TUTCG			
	c.	Snov	w blindn	.ess	iii.	Nutrient enrichm			(4)		UAUCC			
	d.	Jhui	n cultiva	ation	iv.	Waste di	isposal	68.	A w	oman	has an 2	X-linke	d cor	ndition on one of her
		a	b	\mathbf{c}		d			X	chrom	osomes.	This	ch	romosome can be
	(1)	i	ii	iv	:	iii			inhe	erited	by			
	(2)	iii	iv	i	:	ii			(1)	Both	sons an	ıd daug	ghter	's
	(3)	i	iii	iv	;	ii			(2)	Only	grandc	hildren	ı	
	(4)	ii	i	iii	;	iv			(3)	Only	sons			
63.	Whi	ah a	one of	the	, fo	ollowing	population		(4)	Only	daught	ers		
00.	inte	ractio		dely u	ised i	in medica	l science for				_			lumn I with those in
	(1)	Ame	nsalism						belo					8
	(2)	Para	asitism							Colu	$mn\ I$			$Column\ II$
	(3)	Mut	ualism						a.	Proli	ferative	Phase	i	Breakdown of
	(4)		mensali				1		a.	1101	iciative	THASC	1.	endometrial lining
64.			rt of pop ack"?	ppy pl	lant	is used to	o obtain the		b.	Secr	etory Ph	ase	ii.	Follicular Phase
	(1)	Leav							c.	Men	struatio	n	iii.	Luteal Phase
	(2)	Root								a	b	\mathbf{c}		
	(3)	Late							(1)	iii	i	ii		
	(4)	Flow	vers						(2)	ii	iii	i		
65.	In a	a grow	ing popu	ulation	n of a	a country,								
	(1)	pre-		ctive i	indiv	iduals ar	e less than		(3)(4)	i iii	iii ii	ii i		
	(2)	repr	oductive	,	and		reproductive	70.			Ì	g are pa	art o	f an operon except
	(3)	repr		indiv	vidua	als are le	ss than the		(1)(2)	-	omoter nhancer			
	(4)	pre-	_	ctive i	ndiv	iduals ar	e more than		(3) (4)		ctural ge perator	enes		
66.		of th	_	ving a			in 'Ex-situ	71.		ording lution	_	go de V	Vries	, the mechanism of
	(1)		ion <i>exce,</i> l banks	$\mu\iota$					(1)		r mutat	ions		
	(2)		ı banks ınical ga	rdens					(2)		notypic v		กร	
	(3)		uncar ga ed grove							Salta		ariano	1112	
	(4)		eu grove llife safa		lz c				(3)			4	1 2 = :	_
	(4)	VV 110	mie said	ıı par	NS.			1	(4)	wult	iple step	muta	uons	3

- 72. Which of the following options correctly represents the lung conditions in asthma and emphysema, respectively?

 (1) Paragraph respiratory surfaces
 - (1) Decreased respiratory surface; Inflammation of bronchioles
 - (2) Increased respiratory surface; Inflammation of bronchioles
 - (3) Increased number of bronchioles; Increased respiratory surface
 - (4) Inflammation of bronchioles; Decreased respiratory surface
- **73.** Match the items given in Column I with those in Column II and select the *correct* option given below:

 $Column\ I$

Column II

- a. Tricuspid valve i. Between left atrium and left ventricle
- b. Bicuspid valve ii. Between right ventricle and pulmonary artery
- c. Semilunar valve iii. Between right atrium and right ventricle
- a
 b
 c

 (1)
 ii
 ii
 iii

 (2)
 i
 ii
 iii

 (3)
 i
 iii
 ii
- (4) iii i ii
- **74.** Match the items given in Column I with those in Column II and select the *correct* option given below:

Column I

Column II

- a. Tidal volume
- i. 2500 3000 mL
- b. Inspiratory Reserve
- ii. 1100 1200 mL

- volume
- c. Expiratory Reserve ii volume
 - iii. 500 550 mL
- d. Residual volume
- iv. 1000 1100 mL

iii

- a b c d
- (1) iv iii ii
- (2) i iv ii
- (3) iii i iv ii
- (4) iii ii iv

- **75.** Which of the following is an amino acid derived hormone?
 - (1) Estriol
 - (2) Estradiol
 - (3) Ecdysone
 - (4) Epinephrine
- **76.** Which of the following structures or regions is *incorrectly* paired with its function?
 - (1) Corpus callosum : band of fibers

connecting left and right cerebral hemispheres.

(2) Hypothalamus : production of

releasing hormones and regulation of temperature, hunger and thirst.

(3) Limbic system : consists of fibre

tracts that interconnect

different regions of brain; controls movement.

(4) Medulla oblongata: controls respiration

and $\operatorname{cardiovascular}$

reflexes.

- **77.** Which of the following hormones can play a significant role in osteoporosis?
 - (1) Parathyroid hormone and Prolactin
 - (2) Estrogen and Parathyroid hormone
 - (3) Progesterone and Aldosterone
 - (4) Aldosterone and Prolactin
- **78.** The transparent lens in the human eye is held in its place by
 - (1) smooth muscles attached to the ciliary body
 - (2) smooth muscles attached to the iris
 - (3) ligaments attached to the iris
 - (4) ligaments attached to the ciliary body

- **79.** Which of the following terms describe human dentition?
 - (1) Pleurodont, Diphyodont, Heterodont
 - (2) Pleurodont, Monophyodont, Homodont
 - (3) Thecodont, Diphyodont, Heterodont
 - (4) Thecodont, Diphyodont, Homodont
- **80.** Which of the following events does *not* occur in rough endoplasmic reticulum?
 - (1) Phospholipid synthesis
 - (2) Cleavage of signal peptide
 - (3) Protein glycosylation
 - (4) Protein folding
- 81. Select the *incorrect* match:
 - (1) Polytene Oocytes of amphibians chromosomes
 - (2) Submetacentric L-shaped chromosomes chromosomes
 - (3) Allosomes Sex chromosomes
 - (4) Lampbrush Diplotene bivalents chromosomes
- **82.** Nissl bodies are mainly composed of
 - (1) Free ribosomes and RER
 - (2) Nucleic acids and SER
 - (3) DNA and RNA
 - (4) Proteins and lipids
- **83.** Many ribosomes may associate with a single mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as
 - (1) Nucleosome
 - (2) Plastidome
 - (3) Polyhedral bodies
 - (4) Polysome
- **84.** Which of these statements is *incorrect*?
 - (1) Oxidative phosphorylation takes place in outer mitochondrial membrane.
 - (2) Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.
 - (3) Glycolysis occurs in cytosol.
 - (4) Enzymes of TCA cycle are present in mitochondrial matrix.

- **55.** Identify the vertebrate group of animals characterized by crop and gizzard in its digestive system.
 - (1) Osteichthyes
 - (2) Aves
 - (3) Reptilia
 - (4) Amphibia
- **86.** Ciliates differ from all other protozoans in
 - (1) having two types of nuclei
 - (2) using pseudopodia for capturing prey
 - (3) having a contractile vacuole for removing excess water
 - (4) using flagella for locomotion
- **87.** Which of the following animals does *not* undergo metamorphosis?
 - (1) Starfish
 - (2) Moth
 - (3) Tunicate
 - (4) Earthworm
- **88.** Which of the following features is used to identify a male cockroach from a female cockroach?
 - (1) Presence of anal cerci
 - (2) Forewings with darker tegmina
 - (3) Presence of caudal styles
 - (4) Presence of a boat shaped sternum on the 9th abdominal segment
- **89.** Which of the following organisms are known as chief producers in the oceans?
 - (1) Euglenoids
 - (2) Cyanobacteria
 - (3) Diatoms
 - (4) Dinoflagellates
- **90.** Which one of these animals is **not** a homeotherm?
 - (1) Psittacula
 - (2) Camelus
 - (3) Chelone
 - (4) Macropus

91.		ch of the following pairs is wrongly ched?	98.	Wins	ged po	_	ains a	re present in
	(1)	T.H. Morgan : Linkage		(2)	Man			
	(2)	XO type sex : Grasshopper		(3)	Cyca	_		
		determination		(4)	Must			
	(3)	ABO blood grouping : Co-dominance						
	(4)	Starch synthesis in pea : Multiple alleles	99.			-		wed by meiosis, spores are
92.	Whi	ch of the following flowers only once in its		-		exogeno	-	in
	life-t	time?		(1)		haromy	rces	
	(1)	Papaya		(2)	Agar			
	(2)	Mango		(3)(4)		naria ospora		
	(3) (4)	Jackfruit Bamboo species		(4)	iveur	ospora		
00			100.	Whi	ch one	is <i>wro</i>	ngly	matched?
93.		et the <i>correct</i> match:		(1)	Unic	ellular	organ	ism – <i>Chlorella</i>
	(1)	Francois Jacob and – <i>Lac</i> operon Jacques Monod		(2)	Gem	ma cup	s	- Marchantia
	(2)	Matthew Meselson – Pisum sativum		(3)		_	_	ores – Brown algae
	(4)	and F. Stahl		(4)	Unif	lagellat	e gan	netes – Polysiphonia
	(3)	Alfred Hershey and – TMV	101.				_	in Column I with those in
	(4)	Martha Chase				I and s	select	the <i>correct</i> option given
	(4)	Alec Jeffreys – Streptococcus pneumoniae		belo		_		
94.	Cala.	ct the <i>correct</i> statement :			Colur			Column II
94.				a.	Herb	arium	i.	It is a place having a
	(1) (2)	Transduction was discovered by S. Altman.						collection of preserved
	(2)	Spliceosomes take part in translation.						plants and animals.
	(3)	Punnett square was developed by a British scientist.		b.	Key		ii.	A list that enumerates methodically all the
	(4)	Franklin Stahl coined the term "linkage".						species found in an area
95.		ch of the following has proved helpful in						with brief description
	_	erving pollen as fossils?						aiding identification.
	(1)			c.	Muse	eum	iii.	Is a place where dried and
	(2)	Oil content						pressed plant specimens
	(3) (4)	Cellulosic intine Pollenkitt						mounted on sheets are
96.		ets are produced by		J	Cata	1	:	kept.
<i>J</i> U.	(1)	Parthenogenesis		d.	Cata	logue	iv.	A booklet containing a list of characters and their
	(2)	Parthenocarpy						alternates which are
	(3)	Mitotic divisions						helpful in identification of
	(4)	Meiotic divisions						various taxa.
97.		experimental proof for semiconservative			a	b	c	d
	_	cation of DNA was first shown in a		(1)	iii	iv	i	ii
	(1)	Virus		(2)	ii	iv	iii	i
	(2) (3)	Plant Bacterium		(3)	iii	ii	i	iv
	(4)	Fungus		(4)	i	iv	iii	ii

- by plants?
 - Both ferric and ferrous (1)
 - (2)Free element
 - (3)Ferrous
 - (4) Ferric
- 103. Which one of the following plants shows a very close relationship with a species of moth, where none of the two can complete its life cycle without the other?
 - (1) Viola
 - (2)Banana
 - (3)Yucca
 - (4) Hydrilla
- **104.** Oxygen is *not* produced during photosynthesis by
 - Chara
 - (2)Cycas
 - (3)Nostoc
 - (4) Green sulphur bacteria
- **105.** Which of the following elements is responsible for maintaining turgor in cells?
 - Calcium (1)
 - (2)Potassium
 - (3)Sodium
 - Magnesium (4)
- **106.** What is the role of NAD⁺ in cellular respiration?
 - (1) It is the final electron acceptor for anaerobic respiration.
 - It is a nucleotide source for ATP synthesis. (2)
 - It functions as an electron carrier. (3)
 - (4) It functions as an enzyme.
- **107.** Double fertilization is
 - (1) Syngamy and triple fusion
 - Fusion of two male gametes with one egg (2)
 - Fusion of one male gamete with two polar (3)nuclei
 - Fusion of two male gametes of a pollen tube (4) with two different eggs
- 108. Pollen grains can be stored for several years in liquid nitrogen having a temperature of
 - $(1) 160^{\circ}C$
 - (2)- 196°C
 - 80°C (3)
 - − 120°C (4)

102. In which of the following forms is iron absorbed 109. What type of ecological pyramid would be obtained with the following data?

Secondary consumer: 120 g

Primary consumer: 60 g

Primary producer: 10 g

- Upright pyramid of biomass **(1)**
- (2)Upright pyramid of numbers
- (3)Pyramid of energy
- (4) Inverted pyramid of biomass
- 110. Natality refers to
 - (1) Number of individuals entering a habitat
 - Number of individuals leaving the habitat (2)
 - (3)Birth rate
 - (4) Death rate
- **111.** Which of the following is a secondary pollutant?
 - (1) O_3
 - (2) SO_{2}
 - CO_{2} (3)
 - (4) CO
- 112. In stratosphere, which of the following elements acts as a catalyst in degradation of ozone and release of molecular oxygen?
 - (1) Oxygen
 - (2)Fe
 - (3)C1
 - (4) Carbon
- 113. Niche is
 - (1) the functional role played by the organism where it lives
 - (2)the range of temperature that the organism needs to live
 - the physical space where an organism lives (3)
 - all the biological factors in the organism's (4) environment
- 114. World Ozone Day is celebrated on
 - 22nd April (1)
 - 16th September (2)
 - 21st April
 - 5th June

- **115.** Which of the following statements is *correct*?
 - (1) Stems are usually unbranched in both *Cycas* and *Cedrus*.
 - (2) Horsetails are gymnosperms.
 - (3) Selaginella is heterosporous, while Salvinia is homosporous.
 - (4) Ovules are not enclosed by ovary wall in gymnosperms.
- **116.** Secondary xylem and phloem in dicot stem are produced by
 - (1) Axillary meristems
 - (2) Phellogen
 - (3) Vascular cambium
 - (4) Apical meristems
- 117. Sweet potato is a modified
 - (1) Rhizome
 - (2) Tap root
 - (3) Adventitious root
 - (4) Stem
- 118. Pneumatophores occur in
 - (1) Submerged hydrophytes
 - (2) Carnivorous plants
 - (3) Free-floating hydrophytes
 - (4) Halophytes
- **119.** Select the **wrong** statement :
 - (1) Mitochondria are the powerhouse of the cell in all kingdoms except Monera.
 - (2) Pseudopodia are locomotory and feeding structures in Sporozoans.
 - (3) Mushrooms belong to Basidiomycetes.
 - (4) Cell wall is present in members of Fungi and Plantae.
- **120.** Casparian strips occur in
 - (1) Endodermis
 - (2) Cortex
 - (3) Pericycle
 - (4) Epidermis
- **121.** Plants having little or no secondary growth are
 - (1) Cycads
 - (2) Conifers
 - (3) Deciduous angiosperms
 - (4) Grasses

- **122.** A 'new' variety of rice was patented by a foreign company, though such varieties have been present in India for a long time. This is related to
 - 1) Basmati
 - (2) Lerma Rojo
 - (3) Sharbati Sonora
 - (4) Co-667
- **123.** Which of the following is commonly used as a vector for introducing a DNA fragment in human lymphocytes?
 - (1) pBR 322
 - (2) λ phage
 - (3) Ti plasmid
 - (4) Retrovirus
- **124.** Use of bioresources by multinational companies and organisations without authorisation from the concerned country and its people is called
 - (1) Bioexploitation
 - (2) Biodegradation
 - (3) Biopiracy
 - (4) Bio-infringement
- **125.** Select the *correct* match :
 - (1) G. Mendel Transformation
 - (2) T.H. Morgan Transduction
 - (3) $F_2 \times \text{Recessive parent}$ Dihybrid cross
 - (4) Ribozyme Nucleic acid
- **126.** The correct order of steps in Polymerase Chain Reaction (PCR) is
 - (1) Denaturation, Annealing, Extension
 - (2) Denaturation, Extension, Annealing
 - (3) Annealing, Extension, Denaturation
 - (4) Extension, Denaturation, Annealing
- **127.** In India, the organisation responsible for assessing the safety of introducing genetically modified organisms for public use is
 - (1) Genetic Engineering Appraisal Committee (GEAC)
 - (2) Research Committee on Genetic Manipulation (RCGM)
 - (3) Council for Scientific and Industrial Research (CSIR)
 - (4) Indian Council of Medical Research (ICMR)

- 128. The stage during which separation of the paired 136. On which of the following properties does the homologous chromosomes begins is
 - (1) Zygotene
 - (2)Diakinesis
 - (3)Diplotene
 - (4)Pachytene
- **129.** The Golgi complex participates in
 - Activation of amino acid
 - (2)Respiration in bacteria
 - (3)Formation of secretory vesicles
 - (4)Fatty acid breakdown
- **130.** Stomatal movement is *not* affected by
 - CO₂ concentration
 - (2)O₂ concentration
 - (3)Light
 - **Temperature** (4)
- **131.** The two functional groups characteristic of sugars are
 - (1) carbonyl and hydroxyl
 - (2)carbonyl and phosphate
 - (3)carbonyl and methyl
 - hydroxyl and methyl (4)
- **132.** Which of the following is **not** a product of light reaction of photosynthesis?
 - (1) Oxygen
 - **NADPH** (2)
 - (3)**NADH**
 - ATP (4)
- 133. Stomata in grass leaf are
 - (1) Barrel shaped
 - (2)Rectangular
 - Kidney shaped (3)
 - (4) Dumb-bell shaped
- **134.** Which of the following is true for nucleolus?
 - It is a site for active ribosomal RNA synthesis.
 - (2)It takes part in spindle formation.
 - It is a membrane-bound structure. (3)
 - Larger nucleoli are present in dividing cells. (4)
- **135.** Which among the following is *not* a prokaryote?
 - (1) Oscillatoria
 - (2)Nostoc
 - (3)Mycobacterium
 - (4)Saccharomyces

- coagulating power of an ion depend?
 - The sign of charge on the ion alone
 - (2)Both magnitude and sign of the charge on the ion
 - (3)Size of the ion alone
 - The magnitude of the charge on the ion (4) alone
- **137.** The solubility of BaSO₄ 2.42×10^{-3} gL⁻¹ at 298 K. The value of its solubility product (K_{sp}) will be

(Given molar mass of $BaSO_4 = 233 \text{ g mol}^{-1}$)

- $1.08 \times 10^{-8} \text{ mol}^2 \text{ L}^{-2}$ **(1)**
- (2) $1.08 \times 10^{-14} \text{ mol}^2 \text{ L}^{-2}$
- (3) $1.08 \times 10^{-12} \text{ mol}^2 \text{ L}^{-2}$
- (4) $1.08 \times 10^{-10} \text{ mol}^2 \text{ L}^{-2}$
- 138. Given van der Waals constant for NH₃, H₂, O₂ and CO_2 are respectively 4·17, 0·244, 1·36 and 3.59, which one of the following gases is most easily liquefied?
 - (1) CO_2
 - (2) O_2
 - (3) H_{2}
 - (4) NH_3
- 139. Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations:
 - $60 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 40 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
 - $55 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 45 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
 - 75 mL $\frac{M}{5}$ HCl + 25 mL $\frac{M}{5}$ NaOH
 - $100 \text{ mL } \frac{M}{10} \text{ HCl} + 100 \text{ mL } \frac{M}{10} \text{ NaOH}$

pH of which one of them will be equal to 1?

- (1)
- (2)d
- (3)a
- (4) b

- 140. Which one of the following elements is unable to 146. The compound A on treatment with Na gives B, form MF_6^{3-} ion?
 - (1) In
 - (2)В
 - (3)Al
 - (4)Ga
- **141.** Which of the following statements is **not** true for halogens?
 - (1) Chlorine has the highest electron-gain enthalpy.
 - All but fluorine show positive oxidation (2)states.
 - (3)All are oxidizing agents.
 - (4) All form monobasic oxyacids.
- **142.** In the structure of ClF₃, the number of lone pairs of electrons on central atom 'Cl' is
 - (1) three
 - (2)four
 - (3)two
 - (4)one
- 143. Considering Ellingham diagram, which of the following metals can be used to reduce alumina?
 - (1) Cu
 - (2)Mg
 - (3)Zn
 - (4)Fe
- 144. The correct order of N-compounds in its decreasing order of oxidation states is
 - (1) NH₄Cl, N₂, NO, HNO₃
 - HNO₃, NH₄Cl, NO, N₂ (2)
 - HNO₃, NO, NH₄Cl, N₂ (3)
 - (4) HNO₃, NO, N₂, NH₄Cl
- 145. The correct order of atomic radii in group 13 elements is
 - (1) B < Ga < Al < In < Tl
 - B < Ga < Al < Tl < In(2)
 - B < Al < Ga < In < Tl(3)
 - B < Al < In < Ga < Tl

- and with PCl₅ gives C. B and C react together to give diethyl ether. A, B and C are in the order
 - C₂H₅OH, C₂H₅ONa, C₂H₅Cl (1)
 - (2) $C_{2}H_{5}Cl, C_{2}H_{6}, C_{2}H_{5}OH$
 - (3) C_2H_5OH , C_2H_5Cl , C_2H_5ONa
 - C_9H_5OH , C_9H_6 , C_9H_5Cl (4)
- **147.** Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to hydrocarbon containing less than four carbon atoms. (A) is
 - (1) CH_{4}
 - (2) $CH_3 CH_3$
 - (3) $CH_2 = CH_2$
 - $CH \equiv CH$ (4)
- 148. The compound C₇H₈ undergoes the following reactions:

$$C_7H_8 \xrightarrow{3 \text{ Cl}_2/\Delta} A \xrightarrow{\text{Br}_2/\text{Fe}} B \xrightarrow{\text{Zn}/\text{HCl}} C$$

The product 'C' is

- (1) *p*-bromotoluene
- (2)3-bromo-2,4,6-trichlorotoluene
- (3)o-bromotoluene
- (4) *m*-bromotoluene
- 149. Which oxide of nitrogen is not a common pollutant introduced into the atmosphere both due to natural and human activity?
 - **(1)** NO
 - (2) N_2O
 - (3) NO_{2}
 - $N_{2}O_{5}$

- 150. The type of isomerism shown by the complex 155. In the reaction [CoCl₂(en)₂] is
 - (1) Linkage isomerism
 - (2)Ionization isomerism
 - (3)Coordination isomerism
 - Geometrical isomerism (4)
- 151. Which one of the following ions exhibits d-d transition and paramagnetism as well?
 - MnO_4^{2-} (1)
 - (2) MnO_4
 - $\operatorname{Cr}_2\operatorname{O}_7^{2-}$ (3)
 - $\operatorname{CrO}_{4}^{2-}$ (4)
- 152. Match the metal ions given in Column I with the spin magnetic moments of the ions given in Column II and assign the *correct* code:

-

Column II

- Co^{3+} a.
- $\sqrt{8}$ B.M.
- Cr^{3+} b.
- $\sqrt{35}$ B.M. ii.
- Fe^{3+} c.
- $\sqrt{3}$ B.M. iii.
- Ni^{2+} d.
- $\sqrt{24}$ B.M. iv.
- $\sqrt{15}$ B.M. v.

d a b

- (1) iii i
- (2)iii
- (3)
- (4)
- **153.** Iron carbonyl, $Fe(CO)_5$ is
 - (1) dinuclear
 - (2)trinuclear
 - (3)mononuclear
 - tetranuclear (4)
- 154. The geometry and magnetic behaviour of the complex [Ni(CO)₄] are
 - **(1)** tetrahedral geometry and paramagnetic
 - (2)square planar geometry and paramagnetic
 - (3)tetrahedral geometry and diamagnetic
 - square planar geometry and diamagnetic

$$\begin{array}{c} \text{OH} & \text{O-Na}^+ \\ \hline \bigcirc & + \text{CHCl}_3 + \text{NaOH} \end{array} \longrightarrow \begin{array}{c} \text{O-Na}^+ \\ \hline \bigcirc & \text{CHO} \end{array}$$

the electrophile involved is

- dichlorocarbene (:CCl₂) (1)
- dichloromethyl anion (CHCl₂) (2)
- formyl cation (CHO) (3)
- (4) dichloromethyl cation (CHCl₂)
- **156.** Carboxylic acids have higher boiling points than aldehvdes. ketones and even alcohols comparable molecular mass. It is due to their
 - formation of intermolecular H-bonding
 - (2)more extensive association of carboxylic acid via van der Waals force of attraction
 - (3)formation of carboxylate ion
 - (4) formation of intramolecular H-bonding
- **157.** Compound A, C₈H₁₀O, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

(2)
$$\sim$$
 CH – CH $_3$ and I $_2$ OH

(3)
$$\langle \text{CH}_2 - \text{CH}_2 - \text{OH} \text{ and } \text{I}_2 \rangle$$

(4)
$$H_3C$$
 \longrightarrow CH_2 – OH and I_2

- 158. The bond dissociation energies of X_2 , Y_2 and $XY \mid 163$. A mixture of 2·3 g formic acid and 4·5 g oxalic are in the ratio of 1:0.5:1. ΔH for the formation of XY is -200 kJ mol^{-1} . The bond dissociation energy of X2 will be
 - 400 kJ mol^{-1} (1)
 - 800 kJ mol^{-1} (2)
 - 100 kJ mol^{-1} (3)
 - 200 kJ mol^{-1} (4)
- 159. When initial concentration of the reactant is 164. The difference between amylose and amylopectin doubled, the half-life period of a zero order reaction
 - (1) remains unchanged
 - (2)is tripled
 - (3)is doubled
 - (4)is halved
- **160.** The correction factor 'a' to the ideal gas equation corresponds to
 - (1) forces of attraction between the gas molecules
 - (2)electric field present between the molecules
 - (3)volume of the gas molecules
 - (4)density of the gas molecules
- **161.** For the redox reaction

$$MnO_4^- + C_2O_4^{2-} + H^+ \longrightarrow Mn^{2+} + CO_2 + H_2O_4$$

the correct coefficients of the reactants for the balanced equation are

${ m MnO_4^-}$	$C_2O_4^{2-}$	H^{+}
----------------	---------------	---------

- (1) 5 16 2
- (2)2 16 5
- (3)2 5 16
- (4)16 5 2
- **162.** Which one of the following conditions will favour maximum formation of the product in the reaction,

$$A_2(g) + B_2(g) \rightleftharpoons X_2(g) \quad \Delta_r H = -X kJ$$
?


- High temperature and low pressure (1)
- (2)High temperature and high pressure
- (3)Low temperature and low pressure
- (4)Low temperature and high pressure


- acid is treated with conc. H₂SO₄. The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
 - (1) 4.4
 - (2)2.8
 - (3)3.0
 - (4)1.4
- - (1) Amylose is made up of glucose and galactose
 - (2)Amylopectin have $1 \rightarrow 4$ α -linkage and $1 \rightarrow 6 \beta$ -linkage
 - (3)Amylose have $1 \rightarrow 4$ α-linkage and $1 \rightarrow 6 \beta$ -linkage
 - Amylopectin have $1 \rightarrow 4$ α -linkage and (4) $1 \rightarrow 6 \alpha$ -linkage
- **165.** Which of the following oxides is most acidic in nature?
 - (1) CaO
 - (2)BaO
 - (3)BeO
 - (4)MgO
- 166. Regarding cross-linked or network polymers, which of the following statements is *incorrect*?
 - They contain strong covalent bonds in their polymer chains.
 - (2)Examples are bakelite and melamine.
 - (3)They are formed from bi- and tri-functional monomers.
 - (4) They contain covalent bonds between various linear polymer chains.
- **167.** Nitration of aniline in strong acidic medium also gives m-nitroaniline because
 - In acidic (strong) medium aniline is present as anilinium ion.
 - (2)In absence of substituents nitro group always goes to m-position.
 - electrophilic (3)substitution reactions amino group is meta directive.
 - In spite of substituents nitro group always goes to only m-position.

- order of hybridisation sp², sp², sp, sp from left to right atoms?
 - $CH_3 CH = CH CH_3$ (1)
 - (2) $CH_2 = CH - CH = CH_2$
 - (3) $CH_2 = CH - C \equiv CH$
 - $HC \equiv C C \equiv CH$ (4)
- **169.** Which of the following carbocations is expected to be most stable?

$$(1) \qquad \overset{\text{NO}_2}{Y}$$

$$(2) \qquad \underset{\mathbf{Y}}{\overset{\mathbf{NO}_{2}}{\bigoplus}}$$





- **170.** Which of the following is correct with respect to - I effect of the substituents ? (R = alkyl)
 - (1) $-NR_2 > -OR > -F$
 - (2) $-NH_2 > -OR > -F$
 - (3) $-NR_2 < -OR < -F$
 - $(4) NH_2 < -OR < -F$

- 168. Which of the following molecules represents the 171. Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is $1s^2 2s^2 2p^3$, the simplest formula for this compound is
 - **(1)** Mg_3X_2
 - (2) $Mg_{2}X$
 - (3) MgX_{2}
 - Mg_2X_2 (4)
 - **172.** Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is

 - (2)
 - (3)
 - 173. Which one is a wrong statement?
 - The value of m for d_{2} is zero.
 - (2)The electronic configuration of N atom is

- An orbital is designated by three quantum (3)numbers while an electron in an atom is designated by four quantum numbers.
- Total orbital angular momentum of electron in 's' orbital is equal to zero.
- **174.** Consider the following species:

CN⁺, CN⁻, NO and CN

Which one of these will have the highest bond order?

- (1) CN
- CN^{+} (2)
- (3) CN^{-}
- (4)NO

175. Identify the major products P, Q and R in the following sequence of reactions :

$$\begin{array}{c} \text{Anhydrous} \\ & \xrightarrow{\text{AlCl}_3} \\ \\ P \xrightarrow{\text{(i) O}_2} \\ \hline P \xrightarrow{\text{(ii) H}_3 O^+/\Delta} Q + R \end{array}$$

P

R

Q

$$(2) \quad \bigcirc \overset{\mathrm{CH}(\mathrm{CH}_3)_2}{,} \quad \bigcirc \overset{\mathrm{OH}}{\longrightarrow} \quad , \quad \mathrm{CH_3CH}(\mathrm{OH})\mathrm{CH}_3$$

$$\begin{array}{c|cccc} CH_2CH_2CH_3 & CHO & COOH \\ \hline \end{array}$$

(4)
$$CH_2CH_2CH_3$$
 CHO , $CH_3CH_2 - OH$

176. Which of the following compounds can form a zwitterion?

- (1) Glycine
- (2) Benzoic acid
- (3) Acetanilide
- (4) Aniline

- **177.** The correct difference between first- and second-order reactions is that
 - (1) the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
 - (2) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
 - (3) the half-life of a first-order reaction does not depend on [A]₀; the half-life of a second-order reaction does depend on [A]₀
 - (4) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
- 178. Among CaH₂, BeH₂, BaH₂, the order of ionic character is
 - (1) BaH₂ < BeH₂ < CaH₂
 - (2) BeH₂ < BaH₂ < CaH₂
 - $(3) \quad \text{CaH}_2 < \text{BeH}_2 < \text{BaH}_2$
 - $(4) \quad \text{BeH}_2 < \text{CaH}_2 < \text{BaH}_2$
- **179.** Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below:

$$BrO_4^- \xrightarrow{1.82 \text{ V}} BrO_3^- \xrightarrow{1.5 \text{ V}} HBrO$$

$$Br^- \xleftarrow{1.0652 \text{ V}} Br_2 \xleftarrow{1.595 \text{ V}}$$

Then the species undergoing disproportionation is

- (1) HBrO
- (2) Br_2
- (3) BrO_4^-
- $(4) \quad BrO_3^-$
- **180.** In which case is the number of molecules of water maximum?
 - (1) 10^{-3} mol of water
 - (2) 0.00224 L of water vapours at 1 atm and 273 K
 - (3) 0.18 g of water
 - (4) 18 mL of water

SPACE FOR ROUGH WORK

LAACH/SS/Page 22 English

SPACE FOR ROUGH WORK

LAACH/SS/Page 23 English

Read carefully the following instructions:

- 1. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 4. Use of Electronic/Manual Calculator is prohibited.
- 5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

LAACH/SS/Page 24 English

BOOKLET CODE - LAACH (RR)

Q.No.	Answer	Q.No.
1.	(2)	46.
2.	(3)	47.
3.	(4)	48.
4.	(3)	49.
5.	(1)	50.
6.	(2)	51.
7.	(1)	52.
8.	(3)	53.
9.	(2)	54.
10.	(1)	55.
11.	(2)	56.
12.	(4)	57.
13.	(4)	58.
14.	(3)	59.
15.	(3)	60.
16.	(2)	61.
17.	(2)	62.
18.	(1)	63.
19.	(4)	64.
20.	(3)	65.
21.	(4)	66.
22.	(3)	67.
23.	(2)	68.
24.	(3)	69.
25.	(4)	70.
26.	(4)	71.
27.	(2)	72.
28.	(2)	73.
29.	(1)	74.
30.	(3)	75.
31.	(4)	76.
32.	(2)	77.
33.	(4)	78.
34.	(3)	79.
35.	(4)	80.
36.	(1)	81.
37.	(3)	82.
38.	(4)	83.
39.	(3)	84.
40.	(3)	85.
41.	(2)	86.
42.	(4)	87.
43.	(2)	88.
44.	(2)	89.
45.	(4)	90.

Q.No.	Answei
46.	(2)
47.	(3)
48.	(3)
49.	(1)
50.	(3)
51.	(2)
52.	(1)
53.	(4)
54.	(4)
55.	(1)
56.	(2)
57.	(2)
58.	(3)
59.	(2)
60.	(3)
61.	(2)
62.	(1)
63.	(3)
64.	(4)
65.	(2)
66.	(4)
67.	(4)
68.	(3)
69.	(2)
70.	(4)
71.	(4)
72.	(4)
73.	(3)
74.	(4)
75.	(2)
76.	(3)
77.	(1)
78.	(2)
79.	(4)
80.	(2)
81.	(1)
82.	(3)
83.	(4)
84.	(3)
85.	(3)
86.	(3)
87.	(1)
88.	(2)
89.	(4)
55.	(',

Q.No.	Answer
91.	(3)
92.	(3)
93.	(3)
94.	(2)
95.	(2)
96.	(2)
97.	(1)
98.	(2)
99.	(2)
100.	(4)
101.	(4)
102.	(4)
103.	(3)
104.	(3)
105.	(1)
106.	(4)
107.	(4)
108.	(2)
109.	(2)
110.	(3)
111.	(3)
112.	(4)
113.	(3)
114.	(4)
115.	
116.	(2)
117.	(2)
118.	(2)
119.	(3)
120.	(3)
121.	(3)
122.	
123.	(3)
124.	(2)
125.	(2)
126.	(4)
127.	(2)
128.	(2)
120.	
130.	(4)
	(4)
131. 132.	(4)
	(1)
133.	(3)
134. 135.	(2)
135.	(1)

Q.No.	Answer
136.	(4)
137.	(1)
138.	(3)
139.	(3)
140.	(4)
141.	(4)
142.	(1)
143.	(4)
144.	(1)
145.	(1)
146.	(2)
147.	(2)
148.	(4)
149.	(3)
150.	(1)
151.	(1)
152.	(1)
153.	(2)
154.	(3)
155.	(4)
156.	(2)
157.	(1)
158.	(3)
159.	(4)
160.	(3)
161.	(2)
162.	(2)
163.	(2)
164.	(3)
165.	(4)
166.	(3)
167.	(2)
168.	(1)
169.	(3)*
170.	(4)
171.	(4)
172.	(4)
173.	(4)
174.	(3)
175.	(3)
176.	(4)
177.	(2)
178.	(4)
179.	(1)
180.	
180.	(3)